THE JOURNAL OF

PROSTHETIC DENTISTRY

FOUNDED IN 1951 BY

The Academy of Denture Prosthetics
The American Prosthodontic Society
The Pacific Coast Society of Prosthodontists

SPONSORING ORGANIZATIONS

Federation of Prosthodontic Organizations
The Academy of Denture Prosthetics
The American Prosthodontic Society
The Pacific Coast Society of Prosthodontists
The American Academy of Restorative Dentistry
The American Academy of Crown and Bridge Prosthodontics
The Greater New York Academy of Prosthodontics
The Southeastern Academy of Prosthodontics
The American Academy of Maxillofacial Prosthetics
The American Equilibration Society
The American Academy of Implant Dentistry
The Canadian Academy of Prosthodontics
The American College of Prosthodontists
The Carl O. Boucher Prosthodontic Conference
Northeastern Gnathological Society
Midwest Academy of Prosthodontics
Northeastern Prosthodontic Society
Association of Prosthodontists of Canada
American Academy of Esthetic Dentistry
American Academy of Craniomandibular Disorders
The Florida Prosthodontic Association
Society for Occlusal Studies

ORGANIZATION EDITORS

Robert D. Schweitzer
Glen P. McGivney
William A. Jennings
Frank J. Kratochvil
William W. Howard
William F. P. Malone
Louis J. Boucher
Jack H. Rayson
Thomas A. Curtis
William Sulik
Paul J. Mentag
Robert E. Hoar
Dale H. Andrews
Robert W. Elliott, Jr.
Nathaniel H. Lenchner
Ross L. Taylor
James B. Gallagher, Jr.
Aaron H. Fenton
Lester E. Rosenthal
Glenn T. Clark
Davis Henderson
Asterios Doukoudakis

VOLUME 53
Copyright © 1985
THE C. V. MOSBY COMPANY

(All rights reserved)
Printed in the United States of America

THE JOURNAL OF

PROSTHETIC DENTISTRY

FOUNDED IN 1951 BY

The Academy of Denture Prosthetics
The American Prosthodontic Society
The Pacific Coast Society of Prosthodontists

SPONSORING ORGANIZATIONS

Federation of Prosthodontic Organizations
The Academy of Denture Prosthetics
The American Prosthodontic Society
The Pacific Coast Society of Prosthodontists
The American Academy of Restorative Dentistry
The American Academy of Crown and Bridge Prosthodontics
The Greater New York Academy of Prosthodontics
The Southeastern Academy of Prosthodontics
The American Academy of Maxillofacial Prosthetics
The American Equilibration Society
The American Academy of Implant Dentistry
The Canadian Academy of Prosthodontics
The American College of Prosthodontists
The Carl O. Boucher Prosthodontic Conference
Northeastern Gnathological Society
Midwest Academy of Prosthodontics
Northeastern Prosthodontic Society
Association of Prosthodontists of Canada
American Academy of Esthetic Dentistry
American Academy of Craniomandibular Disorders
The Florida Prosthodontic Association
Society for Occlusal Studies

ORGANIZATION EDITORS

Robert D. Schweitzer
Glen P. McGivney
William A. Jennings
Frank J. Kratochvil
William W. Howard
William F. P. Malone
Louis J. Boucher
Jack H. Rayson
Thomas A. Curtis
William Sulik
Paul J. Mentag
Robert E. Hoar
Dale H. Andrews
Robert W. Elliott, Jr.
Nathaniel H. Lenchner
Ross L. Taylor
James B. Gallagher, Jr.
Aaron H. Fenton
Lester E. Rosenthal
Glenn T. Clark
Davis Henderson
Asterios Doukoudakis

VOLUME 53
Copyright © 1985
THE C. V. MOSBY COMPANY

(All rights reserved)
Printed in the United States of America

INDEX TO VOLUME 53

Author index

A

ABARNO, J. C., AND KREINER, P. Reproduction of waxed functional occlusal patterns in fired ceramics, 247
ABDEL-HAKIM, A. M. (*See* El-Khodary et al), 543
ABRAMS, B. L. (*See* Doukoudakis et al), 586
ADRIAN, J. C. (*See* Thomas et al), 428
AKAGAWA, Y., HASHIMOTO, M., KONDO, N., YAMASAKI, A., AND TSURU, H. Tissue reaction to implanted biomaterials, 681
ALBINO, J. E. (*See* Conny et al), 451
ANDERSON, G. C., SCHULTE, J. K., AND GOODKIND, R. J. Comparative study of two treatment methods for internal derangement of temporomandibular joint, 302
— (*See* Schulte et al), 839
ANDERSON, M. H., AND CHARBENEAU, G. T. Comparison of digital and optical criteria for detecting carious dentin, 643
ANTENUCCI, G. (*See* Deutsch et al), 182
ANUSAVICE, K. J. (*See* Kaminski et al), 329
APPLEBAUM, E. M., AND RIVETTI, H. C. Wax base development for complete denture impressions, 663
AQUILINO, S. A., MATTESON, S. R., HOLLAND, G. A., AND PHILLIPS, C. Evaluation of condylar position from tempporomandibular joint radiographs, 88
— WHITE, J., TAYLOR, T. D., AND JORDAN, R. D. Thermoplastic custom trays for making regional facial impressions, 686
— (*See* Taylor et al), 267
ARAKI, N. G. Analysis of anger in relation to clinical dentistry, 591
ARAMANY, M. A. (*See* McKinstry et al), 384
— (*See* McKinstry and Aramany), 827
ARCAN, M. (*See* Neff et al), 697
ARMSTRONG, III, S. R. Restoration of Class IV and VI defects in anterior teeth with unfilled resin, 9
AUNAN, D. C. (*See* Chan et al), 353
AVERBACH, R. E. (*See* Kleier et al), 509

B

BAILIT, H. (*See* Grasso et al), 14
BAKER-DENNIS, V. (*See* Martin et al), 434
BANKS, K. E. (*See* Thomas et al), 428
BARMBY, C. L. Variability of intercuspal position, 702
BARNES, R. F. (*See* Button et al), 34
BECKER, C. M. (*See* Kaldahl and Becker), 1
BEERY, Q. C. (*See* McKinstry et al), 384
BELSER, U. C., AND HANNAM, A. G. Influence of altered working-side occlusal guidance on masticatory muscles and related jaw movement, 406
— MACENTEE, M. I., AND RICHTER, W. A. Fit of three porcelain-fused-to-metal marginal designs in vivo: Scanning electron microscope study, 24
BEN-ARYEH, H. (*See* Gutman et al), 238
BERGMAN, B., AND CARLSSON, G. E. Clinical long-term study of complete denture wearers, 56
BERNARDI, S. (*See* Deutsch et al), 12
BIBBY, R. E. (*See* van Niekerk et al), 67
BINDERMAN, I. (*See* Neff et al), 697
BISHOP, B. M., DAVIES, E. H., AND VON FRAUNHOFER, J. A. Materials for mouth protectors, 256
BLANKENAU, R. J. (*See* Cavel et al), 38
BLASBERG, B. (*See* Dorey et al), 210
BOWER, C. F., AND REINHART, R. A. Restoration of missing or misplaced canines, 772
BOYER, D. B. (*See* Chan et al), 353
BRACKETT, S. E. (*See* Dilts et al), 505
BRADLEY, E. L. (*See* Gottlieb et al), 355
BRADY, R. E. (*See* Gaston et al), 252
BRALY, B. V. (*See* Eakle and Braly), 646
BRANDAU, H. E. (*See* Hellie et al), 335
BREITMAN, J. B. (*See* Love and Brietman), 623
BREWER, J. D. (*See* Conny et al), 451
BROOKS, R. E. (*See* Burkes et al), 780
BRUDVIK, J. S. (*See* Stern et al), 658
BRUKL, C. E., NICHOLSON, J. W., AND NORLING, B. K. Crown retention and seating on natural teeth with resin cement, 618
— (*See* Kaylakie and Brukl), 455
BURGESS, J. O. Horizontal pins: Study of tooth reinforcement, 317
BURKES, JR., E. J., MARBRY, D. L., AND BROOKS, R. E. Subpontic osseous proliferation, 780
BUTTON, G. L., BARNES, R. F., AND MOON, P. C. Surface preparation and shear bond strength of casting-cement interface, 34

C

CAFFESSE, R. G. (*See* Castelli et al), 415
CAIN, J. R. Instrument to facilitate placement of interarch elastics, 143
— (*See* Seals and Cain), 688
CARLIN, S. A., AND OERTLING, K. Simplified guide to trimming esthetically appealing diagnostic cats, 882
CARLSSON, G. E. (*See* Bergman and Carlsson), 56
— (*See* Droukas et al), 402
CARMELI, Y. (*See* Gutman et al), 238
CASTEEL, P. E. (*See* Kaminski et al), 329
CASTELLI, W. A., NASJLETI, C. E., DIAZ-PEREZ, R., AND CAFFESSE, R. G. Histopathologic findings in temporomandibular joints of aged individuals, 415
CAVALLARI, J. (*See* Deutsch et al), 12; 323; 637; 785
CAVEL, W. T., KELSEY, W. P., AND BLANKENAU, R. J. In vivo study of cuspal fracture, 38
CHALIAN, V. A. (*See* Kouyoumdjian et al), 388
— (*See* Rouse and Chalian), 557
CHAMBERLAIN, B. B., AND CHAMBERLAIN, K. R. Depression: Psychologic consideration in complete denture prosthodontics, 673
CHAMBERLAIN, K. R. (*See* Chamberlain and Chamberlain), 673
CHAN, K. C., BOYER, D. B., AND AUNAN, D. C. Bond strength of cements to nickel-chromium and silver-palladium alloys, 353
CHANDLER, H. D. (*See* Wolfaardt et al), 228
CHARBENEAU, G. T. (*See* Anderson and Charbeneau), 643
— (*See* Hellie et al), 335
CHEN, D. T., ROSENBERG, S. W., AND LEPLEY, J. B. Custom-matrix technique for composite resin restoration of diastemas, 6
CHEN, M-S., WELKER, W. A., PULSKAMP, F. E., CROSTHWAITE, H. J., AND TANQUIST, R. A. Methods taught in dental schools for determining posterior palatal seal region, 380
CHEM, I. C. (*See* van Niekerk et al), 67
CHICHE, G. J., AND MIKHAIL, M. G. Atraumatic removal of porcelain veneer crowns after interim cementation, 164
— AND — Laminated single impression technique for cast posts and cores, 325
CHRISTENSEN, L. C. Technique for fabricating custom trays, 291
CINOTTI, W. R. (*See* Samant et al), 597
CLARKSON, C. S. (*See* Nelson et al), 593
COFFEY, K. W. (*See* Palmer and Coffey), 595
COLAIZZI, F. A. (*See* Jaggers et al), 736
CONKLIN, R. J. (*See* Dorey et al), 210

January, 1-152; February, 153-300; March, 301-450; April, 451-608; May, 609-758; June, 759-916.

CONNELLY, M. E. (*See* Nelson et al), 593
CONNY, D. J., TEDESCO, L. A., BREWER, J. D., AND ALBINO, J. E. Changes of attitude in fixed prosthodontic patients, 451
COOLEY, R. L., STILLEY, J., AND LUBOW, R. M. Mercury vapor produced during sterilization of amalgam-contaminated instruments, 304
CRAIG, R. G. (*See* Hellie et al), 335
— (*See* Johnson and Craig), 484
CRIM, G. A., SWARTZ, M. L., AND PHILLIPS, R. W. Comparison of four thermocycling techniques, 50
— (*See* Podshadley et al), 625
CRISPIN, B. J., WATSON, J. F., AND SHAY, K. Margin placement of esthetic veneer crowns. Part IV: Postoperative patient attitudes, 165
CROSTHWAITE, H. J. (*See* Chen et al), 380
CUMSILLE, F. (*See* Manns et al), 243

D

DAHL, B. L., DYMBE, B., AND VALDERHAUG, J. Bonding properties and dimensional stability of hydrocolloid impression systems in fixed prosthodontics, 796
DALY, C. (*See* Kydd and Daly), 717
DAVIDOFF, S. R. Alteration of occlusal reduction of prepared abutment teeth subsequent to final impressions, 158
DAVIES, E. H. (*See* Bishop et al), 256
DEDMOND, H. W. Relationship between open margins and margin designs on full cast crowns made by commercial dental laboratories, 463
— Improved pantograph clutches fabricated intraorally, 332
DENAMUR, T. J. Technique for plastic margins on temporary crowns, 883
DERN, W. M., HINMAN, R. W., HESBY, R. A., AND PELLEU, JR., G. B. Effect of two-step ringless investment technique on alloy castability, 874
DE RIJK, W. G. (*See* Meiser et al), 870
DEUTSCH, A. S., CAVALLARI, J., MUSIKANT, B. L., SILVERSTEIN, L., LEPLEY, J., AND PETRONI, G. Root fracture and design of prefabricated posts, 637
— MUSIKANT, B. L., ANTENUCCI, G., AND GIUSTI, P. Adaptation of prefabricated post to dentin, 182
—, —, CAVALLARI, J., AND BERNARDI, S. Retentive properties of new post and core system, 12
—, —, —, SILVERSTEIN, L., LEPLEY, J., OHLEN, K., AND LESSER, M. Root fracture during insertion of prefabricated posts related to root size, 785
—, —, —, TRITCHLER, D., AND LEPLEY, J. B. Torque placed by dentists on prefabricated threaded posts, 323
DE VILLIERS, H. (*See* Friedman et al), 722
DEVITRE, R., GALBURT, R. B., AND MANESS, W. L. Biometric comparison of bur and electrosurgical retraction methods, 179
DIAZ-PEREZ, R. (*See* Castelli et al), 415
DILTS, W. E., DUNCANSON, JR., M. G., MIRANDA, F. J., AND BRACKETT, S. E. Relative shear bond strengths of luting media with various core materials, 505
DISANTIS, W. S. Quick technique for construction of surgical obturator, 128
— Technique for constructing prosthetic ear positioner, 282
DONOVAN T., AND PRINCE, J. Analysis of margin configurations for metal-ceramic crowns, 153
— GANDARA, B. K., AND NEMETZ, H. Review and survey of medicaments used with gingival retraction cords, 525
— AND WHITE, L. E. Evaluation of improved centrifugal casting machine, 609
— WRIGHT, W., AND PRINCE, J. Technique for applying porcelain to pontics of fixed partial dentures, 134
DOREY, J. L., BLASBERG, B., MACENTEE, M. I., CONKLIN, R. J. Oral mucosal disorders in denture wearers, 210
DORF, D. S., REISBERG, D. J., AND GOLD, H. O. Early prosthetic management of cleft palate. Articulation development prosthesis: Preliminary report, 222
DOUKOUDAKIS, A. (*See* Doukoudakis et al), 586
DOUKOUDAKIS, S., DOUKOUDAKIS, A., RASMUSSEN, S., AND ABRAMS, B. L. Shear test evaluation of new, modified, unfilled resin, 586
DUKES, B. S., FIELDS, JR., H., OLSON, J. W., AND SCHEETZ, J. P. Laboratory study of changes in vertical dimension using compression molding and pour resin technique, 667
DROUKAS, B., LINDEE, C., AND CARLSSON, G. E. Occlusion and mandibular dysfunction: Clinical study of patients referred for functional disturbances of masticatory system, 402
DUNCANSON, JR., M. G. (*See* Dilts et al), 505
DUNN, Z. A. (*See* Josephson et al), 301
DYMBE, B. (*See* Dahl et al), 796

E

EAKLE, W. S., AND BRALY, B. V. Fracture resistance of human teeth with mesial-occlusal-distal cavities prepared with sharp and round internal line forms, 646
EASTWOOD, G. W. (*See* Faull et al), 29
EDEN, G. T. (*See* Hinman et al), 466
EL-KHODARY, N. M., SHAABAN, N. A., AND ABDEL-HAKIM, A. M. Effect of complete denture impression technique on oral mucosa, 543
ENGELMEIER, R. L. Effective measures to reduce xylene exposure, 564
ERDMAN, A. G. (*See* Schulte et al), 839
ESCHEN, S. (*See* Meeuwissen and Eschen), 425
ESTRELLO, J. (*See* Saunders and Estrello), 133
EYER, C. S. (*See* Sarkar et al), 190

F

FARAONE, K. L. (*See* Leupold and Faraone), 655
FAULL, T. W., HESBY, R. A., PELLEU, JR., G. B., AND EASTWOOD, G. W. Marginal opening of single and twin platinum foil-bonded aluminous porcelain crowns, 29
FEDDER, J. Technique to facilitate handling of post-core restorations, 289
FIELDS, JR., H. (*See* Dukes et al), 667
FIRTELL, D. N., GRISIUS, R. J., AND MUNCHERYAN, A. M. Reaction of anterior abutment of Kennedy Class II removable partial denture to various clasp arm designs: In vitro study, 77
FITZIG, S., SERFATY, V., AND GAZIT, E. Photocclusion technique for simultaneous qualitative and quantitative occlusal contact registration, 413
FOLEY, P. F., AND LATTA, JR., G. H. Study of position of parotid papilla relative to occlusal plane, 124
FRANK, R. M., AND STEUER, P. Transmission electron microscopy of plaque accumulations in denture stomatitis, 115
FRANK, R. P. (*See* Stern et al), 658
FREIDLINE, C. W., AND PETTI, G. H. Modification of tracheotomy tube, 292
FRIEDMAN, A. M., SLABBERT, J. C. G., AND DE VILLIERS, H. Mandibular alveolar bone resorption: Vertical assessment, 722
FUKUDA, K. (*See* Staninec et al), 521
FULLER, J. L. (*See* Phair and Fuller), 361
FULLER, W. W. (*See* Moergeli and Fuller), 680
FURNISH, G. M. (*See* O'Toole et al), 53; 350
FUSAYAMA, T. (*See* Hachiya et al), 46
FYLER, ANN (*See* Taylor et al), 83

G

GAGE, J. P. Collagen biosynthesis related to temporomandibular joint clicking in early childhood, 714
GALBURT, R. B. (*See* DeVitre et al), 179
GANDARA, B. K. (*See* Donovan et al), 525
GARFUNKEL, E. Reproduction of rugae on maxillary denture palate, 747
GARRET, N. R. (*See* Perez et al), 69
GASTON, M. L., BRADY, R. E., VERMILYEA, S. G., AND MOERGELI, JR., J. R. Study of acceptability of lateral interocclusal records by Hanau H-2 articulator, 252
GAZIT, E. (*See* Fitzig et al), 413
GEORGE, T. A., AND HOLMES, J. R. Dowelklip: Device for dowel pin placement, 276
GIUSTI, P. (*See* Deutsch et al), 182
GOLD, H. O. Instrumentation for solving abutment parallelism problems in fixed prosthodontics, 172
— (*See* Dorf et al), 222

GOLDMAN, S. M., AND TAYLOR, R. Retrospective radiographic evaluation of 100 temporomandibular joint patients, 566
GOLDSTEIN, G. R. Light-activated composite resin as adjunct to fabrication of fixed partial denture prosthesis, 161
GOLL, G. E., AND SMITH, D. E. Technique for fabrication of mandibular denture over staple bone implant using permanent heat-cured base, 820
GOODKIND, R. J., KEENAN, K. M., AND SCHWABACHER, W. B. Comparison of Chromascan and spectrophotometric color measurements of 100 natural teeth, 105
— (*See* Anderson et al), 392
— (*See* Lund et al), 790
GORDON, R. E. (*See* Kozole et al), 831
GORDON, S. R. Technique to record location of kinematic hinge axis without tattooing, 142
GOTTLIEB, E. W., RETIEF, D. H., AND BRADLEY, E. L. Microleakage of conventional and high-copper amalgam restorations, 355
GRAJOWER, R., AND LEWINSTEIN, I. Effect of manipulative variables on accuracy of crown wax patterns, 168
— (*See* Zeltser et al), 344
GRASSO, J. E., NALBANDIAN, J., SANFORD, C., AND BAILIT, H. Effect of restoration quality on periodontal health, 14
GRIFFITHS, G. R. New hydroxyapatite ceramic materials: Potential use for bone induction and alveolar ridge augmentation, 109
GRISIUS, R. J. (*See* Firtell et al), 77
GROSS, M.D., AND HIRSH, N. Investigation of effect of variable anterior guidance incline on graphic registration of mandibular border movement: Part I, 731
GUERRA, O. N. (*See* McElroy et al), 86
GULLETT, C. E. (*See* Podshadley et al), 625
GUTMAN, D., MINKOW, B., KOST, J., CARMELI, Y., AND BEN-ARYEH, H. Occlusal adjustment by photocclusion, 238

H

HACHIYA, Y., TAKATSU, T., HOSODA, H., AND FUSAYAMA, T. Varnish to prevent etching unrestored enamel, 46
HADEED, G. J., AND PIPKO, D. J. Nonvertical loaded minimal stress attachment with mandibular staple implant, 824
— (*See* Pipko and Hadeed), 501
HALL, D. L., AND WILLIAMS, V. M. Crown repair using cast post and core, 641
HAMADA, T. (*See* Tamamoto et al), 214
HAMILTON, A. I. (*See* Phillips et al), 844
HAMLET, S. L. Speech adaptation: Aerodynamic study of adults with childhood history of articulation defects, 553
HANNAM, A. G. (*See* Belser and Hannam), 406
HASHIMOTO, M. (*See* Akagawa et al), 681
HEDEGARD, B. (*See* Jemt et al), 578
HELLIE, C. M., CHARBENEAU, G. T., CRAIG, R. G., AND BRANDAU, H. E. Quantitative evaluation of proximal tooth movement effected by wedging: Pilot study, 335
HELLSING, G., AND HOLMLUND, A. Development of anterior disk displacement in temporomandibular joint: Autopsy study, 397
HEMBREE, JR., J. H. (*See* Staffanou et al), 309
HERSHEY, H. G. (*See* Heymann and Hershey), 766
HESBY, R. A. (*See* Dern et al), 874
— (*See* Faull et al), 29
— (*See* Meiser et al), 870
HEYMANN, H. O., AND HERSHEY, H. G. Use of composite resin for restorative and orthodontic correction of anterior interdental spacing, 766
HILL, G. M. Impression technique for construction of crown or fixed partial denture, 127
HINMAN, R. W., TESK, J. A., PARRY, E. E., AND EDEN, G. T. Improving casting accuracy of fixed partial dentures, 466
— (*See* Dern et al), 874
— (*See* Meiser et al), 870
HIRSH, N. (*See* Gross and Hirsh), 731
HOBO, S., AND IWATA, T. Reproducibility of mandibular centricity in three dimensions, 649
HOLLAND, G. A. (*See* Aquilino et al), 88
— (*See* Irvin et al), 311
HOLLENDER, L. (*See* Pullinger et al), 706
HOLMES, J. R. (*See* George and Holmes), 276
HOLMLUND, A. (*See* Hellsing and Holmlund), 397
HOLT, J. E. (*See* Kirk and Holt), 443; 598
HOSODA, H. (*See* Hachiya et al), 46
HUDGINS, J. L., MOON, P. C., AND KNAP, F. J. Particle-roughened resin-bonded retainers, 471
HUFF, T. L. (*See* Mansueto et al), 490
HUME, W. R. (*See* Lindemann et al), 341
HURST, P. S. (*See* Kozole et al), 831
HURWITZ, W. (*See* Josephson et al), 301

I

IRVIN, A. W., WEBB, E. L., HOLLAND, G. A., AND WHITE, J. T. Photoelastic analysis of stress induced from insertion of self-threading retentive pins, 311
IWATA, T. (*See* Hobo and Iwata), 649

J

JACOB, R. F. (*See* Martin et al), 678
JAGGERS, J. H., JAVID, N. S., AND COLAIZZI, F. A. Complete denture curriculum survey of dental schools in the United States, 736
JAMES, J. S. Simplified alternative to altered-cast impression technique for removable partial dentures, 598
JAMES, W. E. (*See* McArthur and James), 741
JAMISON, H. C. (*See* Retief et al), 42
JAVID, N. S. (*See* Jaggers et al), 736
JEANSONNE, E. E. (*See* Sarkar et al), 190
JEMT, T., LINDQUIST, L., AND HEDEGARD, B. Changes in chewing patterns of patients with complete dentures after placement of osseointegrated implants in mandible, 578
JENDRESEN, M. D. (*See* Phillips et al), 844
JENSEN, M. E. (*See* Meiers et al), 185
JOHNSON, G. H., AND CRAIG, R. G. Accuracy of four types of rubber impression materials compared with time of pour and repeat pour of models, 484
JONES, D. A. Effects of topical fluoride preparations on glazed porcelain surfaces, 483
— Method for avoiding margin display on esthetic crowns, 599
JONES, J. D., AND SOBIERALSKI, J. Alternative approach to conventional border molding, 745
—, SEALS, R. R., AND SCHELB, E. Panoramic radiographic examination of edentulous patients, 535
JORDAN, R. D., AND LEARY, J. M. Die recovery technique, 283
— (*See* Aquilino et al), 686
— (*See* Taylor et al), 627
JOSEPHSON, B. A., SCHULMAN, A., DUNN, Z. A., AND HURWITZ, W. Compressive strength study of all-ceramic crown, 301

K

KAFANDARIS, N. M. Onlay technique for removable dentures, 278
KAHN, R. C. Method to prepare immediate overdenture teeth accurately, 290
KAISER, D. A., AND SCHELB, E. Geometric study of incisal guide pin opening, 495
KALDAHL, W. B., AND BECKER, C. M. Prosthetic contingencies for future tooth loss, 1
KAMINSKI, R. A., ANUSAVICE, K. J., OKABE, T., MORSE, P. K., AND CASTEEL, P. E. Castability of silver-base fixed partial denture alloys, 329
KANOY, B. E., AND STRAYHORN, L. W. Combined die-investment stone and die-stone cast for making resin-retained prostheses, 285
KAPUR, K. K. (*See* Perez et al), 69
KASTNER, C. U. Modification of Hanau H-2 articular to accept the earpiece face-bow, 138
— Finger rests in prosthodontics, 290
KATZBERG, R. W. (*See* Tallents et al), 235; 836
KAWULOK, T. C. (*See* Kleier et al), 509
KAYLAKIE, W. G., AND BRUKL, C. E. Comparative tensile strengths of nonnoble dental alloy solders, 455
KEENAN, K. M. (*See* Goodkind et al), 105
KELLER, J. C., AND LAUTENSCHLAGER, E. P. Porosity reduction and its associated effect on diametral tensile strength of activated acrylic resins, 374
KELSEY, W. P. (*See* Cavel et al), 38

KEPLER, E. E. (*See* Pashley et al), 511
KHAN, Z., MORRIS, J. C., AND VON FRAUNHOFER, J. A. Wear of anatomic acrylic resin denture teeth, 550
— (*See* Morris et al), 670
— (*See* Woodward et al), 347
KING, G. E. (*See* Martin et al), 678
KIRK, G. A. Quick face-bow remount index, 142
— Convenient use of pressure indicating paste, 288
— AND HOLT, J. E. Final impression trays from existing dentures, 443
— AND— One-step border molding, 598
KLEIER, D. J., AVERBACH, R. E., AND KAWULOK, T. C. Efficient calcium hydroxide placement within root canal, 509
KNAP, F. J. (*See* Hudgins et al), 471
KOMORECH, II, J. (*See* Sherman and Komorech), 130
KONDO, N. (*See* Akagawa et al), 681
KOST, J. (*See* Gutman et al), 238
KOTKIN, H. Diagnostic significance of denture complaints, 73
KOUYOUMDJIAN, J., CHALIAN, V. A., AND MOORE, B. K. Comparison of physical properties of room temperature vulcanizing silicone modified and unmodified, 388
KOZOLE, K. P., GORDON, R. E., AND HURST, P. S. Modular mouthstick system, 831
KRATOCHVIL, F. J. (*See* Nimmo and Kratochvil), 431
KREINER, P. (*See* Abarno and Kreiner), 247
KYDD, W. L., AND DALY, C. Duration of nocturnal tooth contacts during bruxing, 717

L

LACEFIELD, W. R., REINDL, M. C., AND RETIEF, D. H. Tensile bond strength of glass-ionomer cement, 194
LAMBERT, R. L. Moisture evacuation with rubber dam in place, 749
LARSEN, H. D. (*See* McDonald and Larsen), 265
LASSILA, V., AND MCCABE, J. F. Properties of interocclusal registration materials, 100
LATTA, JR., G. H. (*See* Foley and Latta), 124
LAUTENSCHLAGER, E. P. (*See* Keller and Lautenschlager), 374
LAYELLE, C. L. B. Preliminary study of mandibular shape after tooth loss, 726
LAVELLE, W. E. (*See* Taylor et al), 83
LEARY, J. M. (*See* Jordan and Leary), 283
LEE, S. A. (*See* McElroy et al), 86
LEMM, R. W. (*See* Nicholls and Lemm), 476
LEPLEY, J. B. (*See* Chen et al), 6
— (*See* Deutsch et al), 323; 637; 785
LESSER, M. (*See* Deutsch et al), 785
LEUPOLD, R. J., AND FARAONE, K. L. Etched castings as adjunct to mouth preparation for removable partial dentures, 655
LEWINSTEIN, I. (*See* Grajower and Lewinstein), 168
— (*See* Zeltser et al), 344
LIMPINSEL, W. Measurement of occlusal reduction for cast restorations, 838
LINDEE, C. (*See* Droukas et al), 402
LINDEMANN, R. A., HUME, W. R., AND WOLCOTT, R. B. Dentin permeability and pulpal response to EDTA, 341
LINDQUIST, L. (*See* Jemt et al), 578
LOVE, L. D., AND BREITMAN, J. B. Resin retention by immersion-etched alloy, 623
LUBOW, R. M. (*See* Cooley et al), 304
LUEBKE, R. J., AND SCHNEIDER, R. L. Microwave oven drying artificial stone, 261
LUND, T. W., SCHWABACHER, W. B., AND GOODKIND, R. J. Spectrophotometric study of relationship between body porcelain color and applied metallic oxide pigments, 790
LYON, H. E. Resin-bonded etched-metal rest seats, 366

M

MACENTEE, M. I. (*See* Belser et al), 24
— (*See* Dorey et al), 210
MANESS W. L. (*See* DeVitre et al), 179
MANNS, A., MIRALLES, R., AND CUMSILLE, F. Influence of vertical dimension on masseter muscle electromyographic activity in patients with mandibular dysfunction, 243
MANSUETO, M. A., HUFF, T. L., AND TREBILCOCK, JR., C. E. Evaluation of incisal guide calibrations, 490
MANZIONE, J. V. (*See* Tallents et al), 235; 836
MARBRY, D. L. (*See* Burkes et al), 780
MARSHALL, T. D., RE, G. J., AND PORTER, K. H. Preventing proximal gingival overhangs in newly condensed amalgams, 288
MARTIN, J. O., BAKER-DENNIS, Y., AND RAKOW, B. Revitalizing defaced maxillary plastic denture teeth with resin stain, 434
— (*See* Samant et al), 597
MARTIN, J. W., SHUPE, R. J., JACOB, R. F., AND KING, G. E. Mandibular positioning prosthesis for partially resected mandibulectomy patient, 678
MARTINOFF, J. T. (*See* Sorensen and Martinoff), 631
MASEK, J. (*See* McLaughlin and Masek), 516
MATTESON, S. R. (*See* Aquilino et al), 88
MAYCLIN, T. (*See* Meiers et al), 185
MCARTHUR, D. R. Management of mucolabial fold when developing impressions for complete dentures, 62
— Determining approximate size of maxillary anterior artificial teeth when mandibular anterior teeth are present. Part I: Size relationship, 216; Part II: Mold selection, 369; Part III: Relationship of maxillary to mandibular central incisor widths, 540
— AND JAMES, W. E. Trial-packed, heat-processed spare complete denture, 714
MCCREIGHT, M. C. (*See* Watkinson et al), 365
MCDONALD, G. T., AND LARSEN, H. D. System for developing and evaluating clinical judgment of dental students, 265
MCELROY, T. H., GUERRA, O. N., AND LEE, S. A. Acetic acid vapor levels associated with facial prosthetics, 86
MCKINSTRY, R. E., AND ARAMANY, M. A. Prosthodontic considerations in management of surgically compromised cleft palate patients, 827
—, —, BERRY, Q. C., AND SANSONE, F. Speech considerations in prosthodontic rehabilitation of glossectomy patient, 384
MCLAUGHLIN, G., AND MASEK, J. Comparison of bond strengths using one-step and two-step alloy etching techniques, 516
MEEUWISSEN, R., AND ESCHEN, S. Prosthodontic treatment and retreatment of 845 servicemen, 425
MEIERS, J. C., JENSEN, M. E., AND MAYCLIN, T. Effect of surface treatments on bond strength of etched-metal resin-bonded retainers, 185
MEISER, JR., E. T., DE RIJK, W. G., TESK, J. A., HINMAN, R. W., HESBY, R. A., AND PELLEU, JR., G. B. Internal setting expansion of dental casting investment measured with strain gauges, 870
MIDDLETON, J. C. (*See* Retief et al), 42
MIKHAIL, M. G. (*See* Chiche and Mikhail), 164; 325
MILLER, G. D. (*See* Tjan et al), 759
MILLER, T. L. (*See* Tallents et al), 235; 836
MILLER, V. J. (*See* van Niekerk et al), 67
MILLSTEIN, P. L. Evaluation of occlusal indicator wax, 570
— Permanent method of recording occlusal contacts, 748
MINKOW, B. (*See* Gutman et al), 238
MINSLEY, G. E., AND ROTHENBERG, S. Use of afterloading technique for intraoral radiation carriers, 676
MIRALLES, R. (*See* Manns et al), 243
MIRANDA, F. J. (*See* Dilts et al), 505
MITCHENER, R. W., AND OMORI, M. Putty materials for stable removable partial denture record bases, 435
MIYAKE, Y. (*See* Tamamoto et al), 214
MOCHIZUKI, A. (*See* Staninec et al), 521
MOERGELI, JR., J. R., AND FULLER, W. W. Method for interim obturation of palatal perforations, 680
— (*See* Gaston et al), 252
MOON, P. C. (*See* Button et al), 34
— (*See* Hudgins et al), 471
MOORE, B. K. (*See* Kouyoumdjian et al), 388
MORRIS, J. C., KHAN, Z., AND VON FRAUNHOFER, J. A. Palatal shape and flexural strength of maxillary denture bases, 670
— (*See* Khan et al), 550
— (*See* Woodward et al), 347
MORSE, P. K. (*See* Kaminski et al), 329
MOSER, J. B. (*See* Wozniak et al), 204

MUNCHERYAN, A. M. (*See* Firtell et al), 77
MUSIKANT, B. L. (*See* Deutsch et al), 12; 182; 323; 637; 785
MYERS, M. L. (*See* Staffanou et al), 304
MYERS, T. D., AND MYERS, W. D. Use of laser for debridement of incipient caries, 776
MYERS, W. D. (*See* Myers and Myers), 776

N

NALBANDIAN, J. (*See* Grasso et al), 14
NASJLETI, C. E. (*See* Castelli et al), 415
NEFF, P., BINDERMAN, I., AND ARCAN, M. Diagram of contact intensities: Basic characteristics of occlusion, 697
NELSON, D. R., CONNELLY, M. E., VON GONTEN, A. S., AND CLARKSON, C. S. Modified finish line in distal extension maxillary removable partial dentures, 593
— AND PALIK, J. F. Duplicate casts in fabrication of temporary removable partial dentures, 441
—, VON GONTEN, A. S., AND WILLIAMS, C. M. Aluminum-based temporary removable partial dentures, 877
— (*See* Palik et al), 800
— (*See* von Gonten and Nelson), 136
NEMETZ, H. (*See* Donovan et al), 525
NICHOLLS, J. I., AND LEMM, R.W. Tensile strength of presoldered and postsoldered joints, 476
NICHOLSON, J. W.(*See* Brukl et al), 618
NIMMO, A. Aid to setting posterior denture teeth, 748
— Metal denture inserts in treatment of elongated maxillary tuberosities, 880
— AND KRATOCHVIL, F. J. Balancing ramps in nonanatomic complete denture occlusion, 431
NORLING, B. K. (*See* Brukl et al), 618

O

OERTLING, K. (*See* Garlin and Oertling), 882
OGLE, R. E., AND ORTMAN, L. F. Measuring wear of artificial teeth with stereophotography: Part I, 807
OHLEN, K. (*See* Deutsch et al), 785
OKABE, T. (*See* Kaminski et al), 329
OLSEN, H. C. (*See* Tveit et al), 199
OLSON, J. W. (*See* Dukes et al), 667
O'MEARA, J. A. (*See* Pashley et al), 511
OMORI, M. (*See* Mitchener and Omori), 435
ORTMAN, L. F. (*See* Ogle and Ortman), 807
OSTER, C. (*See* Tallents et al), 235; 836
O'TOOLE, T. J., FURNISH, G. M., AND VON FRAUNHOFER, J. A. Linear distortion of acrylic resin, 53
—, —, and — Tensile strength of soldered joints, 350

P

PALIK, J. F., NELSON, D. R., AND WHITE, J. T. Accuracy of earpiece face-bow, 800
— (*See* Nelson and Palik), 441
— (*See* von Gonten and Palik), 281
PALMER, B., AND COFFEY, K. W. Fabrication of hollow bulb obturator, 595
PARRY, E. E. (*See* Hinman et al), 466
PASHLEY, D. H., O'MEARA, J. A., WILLIAMS, E. C., AND KEPLER, E. E. Dentin permeability: Effects of cavity varnishes and bases, 511
PAVONE, B. W. Bruxism and its effect on natural teeth, 692
PEAGLER, F. D. (*See* Thomas et al), 428
PELED, I. (*See* Sela et al), 226
PELLEU, JR, G. B., (*See* Dern et al), 874
— (*See* Faull et al), 29
— (*See* Meiser et al), 870
PEREZ, P., KAPUR, K. K., AND GARRETT, N. R. Studies of biologic parameters for denture design. Part III: Effects of occlusal adjustment, base retention, and fit on masseter muscle activity and masticatory performance, 69
PETERSSON, A. (*See* Pullinger et al), 706
PETRONI, G.(*See* Deutsch et al), 637
PETTI, G. H. (*See* Freidline and Petti), 292
PHAIR, C. B., AND FULLER, J. L. Microleakage of composite resin restorations with cementum margins, 361
PHILLIPS, C. (*See* Aquilino et al), 88
PHILLIPS, R. W., HAMILTON, A. I., AND JENDRESEN, M. D. Report of Committee on Scientific Investigation of American Academy of Restorative Dentistry, 844
— (*See* Crim et al), 50
PIPKO, D. J., AND HADEED, G. J. Fabrication of drop-cast aluminum cores, 501
— (*See* Hadeed and Pipko), 824
PITTS, W. C. Difficult denture patients: Observations and hypothesis, 532
PODSHADLEY, A. G., GULLETTE, C. E., AND CRIM, G. Interface seal of incremental placement of visible light-cured composite resins, 625
PONTUAL, M. A. B. Vibrating spatula for plaster, 144
PORTER, K. H., AND RE, G. J. Pin-retained reinforced zinc oxide-eugenol temporary restorations, 141
— (*See* Marshall et al), 288
PRINCE, J. (*See* Donovan et al), 134
— (*See* Donovan and Prince), 153
PULLINGER, A. G., HOLLENDER, L., SOLBERG, W. K., AND PETERSSON, A. Tomographic study of mandibular condyle position in asymptomatic population, 706
PULSKAMP, F. E. (*See* Chen et al), 380

R

RAKOW, B. (*See* Martin et al), 434
RASMUSSEN, S. (*See* Doukoudakis et al), 586
RE, G. J. (*See* Marshall et al), 288
—(*See* Porter and Re), 141
REINDL, M. C. (*See* Lacefield et al), 194
REINHART, R. A. (*See* Bower and Reinhart), 772
REISBERG, D. J. (*See* Dorf et al), 222
RETIEF, D. H., MIDDLETON, J. C., AND JAMISON, H. C. Optimal concentration of phosphoric acid as etching agent. Part III: Enamel wettability studies, 42
— (*See* Gottlieb et al), 355
— (*See* Lacefield et al), 194
RICHTER, W. A. (*See* Belser et al), 24
RIHANI, A. Maxillary sinusitis as differential diagnosis in temporomandibular joint pain dysfunction syndrome, 97
RIORDAN, P. J. (*See* Tveit et al), 199
RIVERS, J. A. (*See* Staffanou et al), 309
RIVETTI, H. C. (*See* Applebaum and Rivetti), 663
ROBINS, M. K., AND WEISS, L. P. Lip injury guard, 439
ROBINSON, J. A. (*See* Thomas et al), 428
ROSENBERG, S. W. (*See* Chen et al), 6
ROTHENBERG, S. (*See* Minsley and Rothenberg), 676
ROTHSCHILD, H. L. Cross-arch splinting with resin-bonded retainers, 627
ROUSE, J. A., AND CHALIAN, V. A. Fabrication of hollow extraoral prostheses to enhance retention, 557
RUFFINO, A. R. In-office permanent denture base correction technique, 437

S

SAMANT, A., MARTIN, J. O., AND CINOTTI, W. R. Role of dental floss in restorative dentistry, 597
SANFORD, C. (*See* Grasso et al), 14
SANSONE, F. (*See* McKinstry et al), 384
SARKAR, N. K., VERRET, M., EYER, C. S., AND JEANSONNE, E. E. Role of gallium in alloy-porcelain bonding, 190
SARKISSIAN, R. (*See* Tjan et al), 759
— (*See* Tjan and Sarkissian), 613
SAUNDERS, T. R., AND ESTRELLO, J. Denture flange modification of autopolymerizing and heat-processed resilient denture liners, 133
SCHEETZ, J. P. (*See* Dukes et al), 667
SCHELB, E. (*See* Jones et al), 535
— (*See* Kaiser and Schelb), 495
SCHNEIDER, R. L. (*See* Luebke and Schneider), 261
SCHULMAN, A. (*See* Josephson et al), 301

SCHULTE, J. K., WANG, S. H., ERDMAN, A. G., AND ANDERSON, G. C. Three-dimensional analysis of cusp travel during nonworking mandibular movement, 839
— (*See* Anderson et al), 392
SCHULTER, C. W. Custom-made denture teeth and denture base material for removable partial dentures, 271
SCHWABACHER, W. B. (*See* Goodkind et al), 105
— (*See* Lund et al), 790
SCHWARTZ, I. S. (*See* Seals and Schwartz), 763
SEALS, JR., R. R., AND CAIN, J. R. Prosthetic treatment for chemical burns of oral cavity, 688
— AND SCHWARTZ, I. S. Successful integration of fixed and removable prosthodontics, 763
— (*See* Jones et al), 535
SELA, M., PELED, I., ZAGHER, A., AND TAICHER, S. Maxillofacial prosthetics and iontophoresis in management of burned ears, 226
SERFATY, V. (*See* Fitzig et al), 413
SHAABAN, N. A. (*See* El-Khodary et al), 543
SHARP, E. W., AND VERRAN, J. Denture cleansers and in vitro plaque, 584
SHAY, K. (*See* Crispin et al), 165
SHERMAN, JR., J. R., AND KOMORECH, II, J. Rebasing metal-based complete mandibular dentures, 130
SHUPE, R. J. (*See* Martin et al), 678
SIGAROUDI K. Restoring abutment teeth with cast restorations to fit existing removable partial dentures, 628
SILVERMAN, S. I. Vertical dimension record: Three dimensional phenomenon. Part I, 420; Part II, 573
SILVERSTEIN, L. (*See* Deutsch et al), 637; 785
SLABBERT, J. C. G. (*See* Friedman et al), 722
SMITH, B. A. (*See* Wolfaardt et al), 228
SMITH, D. E. (*See* Goll and Smith), 820
SOBIERALSKI, J. (*See* Jones and Sobieralski), 745
SOLBERG, W. K. (*See* Pullinger et al), 706
SORENSEN, J. A., AND MARTINOFF, J. T. Endodontically treated teeth as abutments, 631
SPOSETTI, V. J. Topical anesthetic gel as rubber dam lubricant, 291
STACKHOUSE, JR., J. A. Relationship of syringe-tip diameter to voids in elastomer impressions, 812
STAFFANOU, R. S., HEMBREE JR., J. H., RIVERS, J. A., AND MYERS, M. L. Abrasion resistance of three types of esthetic veneering materials, 309
STANFORD, J. W. (*See* Wozniak et al), 204
STANINEC, M., MOCHIZUKI, A., TANIZAKI, K., FUKUDA, K., AND TSUCHITANI, Y. Effect of etching and bonding on recurrent caries in teeth restored with composite resin, 521
STERN, M. A., BRUDVIK, J. S., AND FRANK, R. P. Clinical evaluation of removable partial denture rest seat adaptation, 658
STEUER, P. (*See* Frank and Steuer), 115
STILLEY, J. (*See* Cooley et al), 304
STIPHO, H. D. Boxing impressions with irreversible hydrocolloid, 740
STRAYHORN, L. W. (*See* Kanoy and Strayhorn), 285
SUGUNIKA, H. (*See* Tamamoto et al), 214
SVARE, C. W. (*See* White et al), 815
SWARTZ, M. L. (*See* Crim et al), 50

T

TAICHER, S. (*See* Sela et al), 226
TAKATSU, T. (*See* Hachiya et al), 46
TALLENTS, R. H., KATZBERG, R. W., MILLER, T. L., MANZIONE, J. V., AND OSTER, C. Arthrographically assisted splint therapy, 235
—, —, —, —, AND — Evaluation of arthrographically assisted splint therapy in treatment of TMJ disk displacement, 836
TAMAMOTO, M., HAMADA, T., MIYAKE, Y., AND SUGUNIKA, H. Ability of enzymes to remove Candida, 214
TANIZAKI, K. (*See* Staninec et al), 521
TANQUIST, R. A. (*See* Chen et al), 380
TAYLOR T. D., AQUILINO, S. A., AND JORDAN, R. D. Prosthodontic laboratory and curriculum survey. Part IV: Fixed prosthodontic curriculum survey, 267
—, FYLER, A., AND LAVELLE, W. E. Alternative obturation for maxillectomy patient with severely limited mandibular opening, 83
— (*See* Aquilino et al), 686
— (*See* White et al), 815
TAYLOR, R. (*See* Goldman and Taylor), 566
TEDESCO, L. A. (*See* Conny et al), 451
TESK, J. A. (*See* Hinman et al), 466
— (*See* Meiser et al), 870
THOMAS, G. P., ADRIAN, J. C., BANKS, K. E., ROBINSON, J. A., AND PEAGLER, F. D. Biocompatibility evaluation of resins in hamsters, 428
TJAN, A. H. L., MILLER, G. D., AND SARKISSIAN, R. Internal escape channel to improve seating of full crowns with various marginal configurations: Follow-up study, 759
— AND SARKISSIAN, R. Comparison of internal escape channels with die spacing and occlusal venting, 613
— AND WHANG, S. B. Resistance to root fracture of dowel channels with various thicknessess of buccal dentin wall, 496
TREBILCOCK, JR., C. E., (*See* Mansueto et al), 490
TRITCHLER, D. (*See* Deutsch et al), 323
TSUCHITANI, Y. (*See* Staninec et al), 521
TSURU, H. (*See* Akagawa et al), 681
TVEIT, A. B., RIORDAN, R. J., AND OLSEN, H. C. Cavity varnish and cavity liner appearance on enamel and dentin, 199

V

VALDERHAUG, J. (*See* Dahl et al), 796
VAN NIEKERK, F. W., MILLER, V. J., CHEM, I. C., AND BIBBY, R. E. Ala-tragus line in complete denture prosthodontics, 67
VERMILYEA, S. G. (*See* Gaston et al), 252
VERRAN, J. (*See* Sharp and Verran), 584
VERRET, M. (*See* Sarkar et al), 190
VON FRAUNHOFER, J. A. (*See* Bishop et al), 256
— (*See* Khan et al), 550
— (*See* Morris et al), 670
— (*See* O'Toole et al), 53
— (*See* O'Toole et al), 350
VON GONTEN, A. S., AND NELSON, D. R. Laboratory pitfills that contribute to embrasure clasp failure, 136
— AND PALIK, J. F. Tooth preparation guide for embrasure clasp designs, 281
— (*See* Nelson et al), 593; 877

W

WANG S. H. (*See* Schulte et al), 839
WARNOCK, D. W. (*See* Watkinson et al), 365
WATKINSON, A. C. MCCREIGHT, M. C., AND WARNOCK, D. W. Prevalence and persistence of different strains of *Candida albicans* in treatment of denture stomatitis, 365
WATSON, J. F. (*See* Crispin et al), 165
WEBB, E. L. (*See* Irvin et al), 311
WEISS, L. P. (*See* Robins and Weiss), 439
WELKER, W. A. (*See* Chen et al), 380
WENDT, D. C. How to promote and maintain good oral health in spite of wearing dentures, 805
WHANG, S. G. (*See* Tjan and Whang), 496
WHITE, J. T. (*See* Aquilino et al), 686
— (*See* Irvin et al), 311
— (*See* Palik et al), 800
WHITE, K. C., SVARE, C. W., AND TAYLOR, T. D. Potentiostatic study of corrosion behavior of anodized and nonanodized aluminum alloy, 815
WHITE, L. E. (*See* Donovan and White), 609
WILLIAMS, C. M. (*See* Nelson et al), 877
WILLIAMS, E. C. (*See* Pashley et al), 511
WILLIAMS, V. M. (*See* Hall and Williams), 641
WILLIS, E. (*See* Wozniak et al), 204
WISE, M. D. Stability of gingival crest after surgery and before anterior crown placement, 20
WOLCOTT, R. B. (*See* Lindemann et al), 341
WOLFAARDT, J. F., CHANDLER, H. D., AND SMITH, B. A. Mechanical properties of new facial prosthetic material, 228
WOODWARD, J. D., MORRIS, J. C., AND KHAN, Z. Accuracy of stone casts produced by perforated trays and nonperforated trays, 347
WOZNIAK, W. T., MOSER, J. B., WILLIS, E., AND STANFORD, J. W.

Ultraviolet light stability of composite resins, 204
WRIGHT, W. (*See* Donovan et al), 134

Y

YAMASAKI A. (*See* Akagawa et al), 681
YONTCHEV E. Cranial and maxillofacial epithesis treatment on osseointegrated implants: Concept and principles, 552

Z

ZAGHER A. (*See* Sela et al), 226
ZELTSER, C., LEWINSTEIN, I., AND GRAJOWER, R. Fit of crown wax patterns after removal from die, 344
ZUCKERMAN, G. R. Practical considerations for using face-bow for complete denture prosthodontics, 219

Subject index

A

Abrasion resistance of three types of esthetic veneering materials (Staffanou et al), 309
Abutment(s), anterior, of Kennedy Class II removable partial denture, reaction of, to various clasp arm designs: In vitro study (Firtell et al), 77
endodontically treated teeth as (Sorensen and Martinoff), 631
parallelism problems in fixed prosthodontics, instrumentation for solving (Gold), 172
teeth, prepared, alteration of occlusal reduction of, subsequent to final impressions (Davidoff), 158
restoring, with cast restorations to fit existing removable partial dentures (Sigaroudi), 628
Academy, American, of Restorative Dentistry, report of Committee on Scientific Investigation of (Phillips et al), 844
Accuracy of stone casts produced by perforated trays and nonperforated trays (Woodward et al), 347
Acetic acid vapor levels associated with facial prosthetics (McElroy et al), 86
Acid, acetic, vapor levels associated with facial prosthetics (McElroy et al), 86
optimal concentration of phosphoric, as etching agent. Part III: Enamel wettability studies (Retief et al), 42
Acrylic resin(s), activated, porosity reduction and its associated effect on diametral tensile strength of (Keller and Lautenschlager), 374
denture teeth, anatomic, wear of (Khan et al), 550
linear distortion of (O'Toole et al), 53
Activated acrylic resins, porosity reduction and its associated effect on diametral tensile strength of (Keller and Lautenschlager), 374
Adaptation, removable partial denture rest seat, clinical evaluation of (Stern et al), 658
speech: Aerodynamic study of adults with childhood history of (Hamlet), 553
Afterloading technique for intraoral radiation carriers, use of (Minsley and Rothenberg), 676
Aged individuals, histopathologic findings in temporomandibular joints of (Castelli et al), 415
Ala-tragus line in complete denture prosthodontics (van Niekerk et al), 67
All-ceramic crown, compressive strength study of (Josephson et al), 301
Alloy(s), anodized and nonanodized aluminum, potentiostatic study of corrosion behavior of (White et al), 815
castability, effect of two-step ringless investment technique on (Dern et al), 874
etching techniques, one-step and two-step, comparison of bond strengths using (McLaughlin and Masek), 516
immersion-etched, resin retention by (Love and Breitman), 623
nickel-chromium and silver-palladium, bond strength of cements to (Chan et al), 353
-porcelain bonding, role of gallium in (Sarkar et al), 190
silver-base fixed partial denture, castability of (Kaminski et al), 329
solders, nonnoble dental, comparative tensile strengths of (Kaylakie and Brukl), 455
Altered-cast impression technique for removable partial dentures, simplified alternative to (James) (Tips), 598
Aluminous porcelain crowns, marginal opening of single and twin platinum foil–bonded (Faull et al), 29
Aluminum alloy, anodized and nonanodized, potentiostatic study of corrosion behavior of (White et al), 815
-based temporary removable partial dentures (Nelson et al), 877
drop-cast, cores, fabrication of (Pipko and Hadeed), 501
Alveolar bone resorption, mandibular: Vertical assessment (Friedman et al), 722
ridge augmentation and bone induction, potential use for: New hydroxyapatite ceramic materials (Griffiths), 109
Amalgam(s)-contaminated instruments, mercury vapor produced during sterilization of (Cooley et al), 304
newly condensed, preventing proximal gingival overhangs in (Marshall et al) (Tips), 288
restorations, conventional and high-copper, microleakage of (Gottlieb et al), 355
American Academy of Restorative Dentistry, report of Committee on Scientific Investigation of (Phillips et al), 844
Anatomic acrylic resin denture teeth, wear of (Khan et al), 550
Anesthetic gel, topical, as rubber dam lubricant (Sposetti) (Tips), 291
Anger in relation to clinical dentistry, analysis of (Araki), 591
Anodized and nonanodized aluminum alloy, potentiostatic study of corrosion behavior of (White et al), 815
Anterior abutment of Kennedy Class II removable partial denture, reaction of, to various clasp arm designs: In vitro study (Firtell et al), 77
crown placement, stability of gingival crest after surgery and before (Wise), 20
disk displacement in temporomandibular joint, development of: Autopsy study (Hellsing and Holmlund), 397
guidance incline, variable, on graphic registration of mandibular border movement, investigation of effect of: Part I (Gross and Hirsh), 731
interdental spacing, use of composite resin for restorative and orthodontic correction of (Heymann and Hershey), 766
mandibular, teeth are present, determining approximate size of maxillary anterior artificial teeth when. Part I: Size relationship (McArthur), 216; Part II: Mold selection, 369; Part III: Relationship of maxillary to mandibular central incisor widths, 540
maxillary, artificial teeth, determining approximate size of, when mandibular anterior teeth are present. Part I: Size relationship (McArthur), 216; Part II: Mold selection, 369; Part III: Relationship of maxillary to mandibular central incisor widths, 540

January, 1-152; February, 153-300; March 301-450; April, 451-608; May, 609-758; June, 759-916.

Anterior—cont'd
teeth, restoration of Class IV and VI defects in, with unfilled resin (Armstrong), 9
Arch-cross splinting with resin-bonded retainers (Rothschild), 627
Arthrographically assisted splint therapy (Tallents et al), 235
in treatment of TMJ disk displacement, evaluation of (Tallents et al), 836
Articulation defects, aerodynamic study of adults with childhood history of: Speech adaptation (Hamlet), 553
development prosthesis: Preliminary report. Early prosthetic management of cleft palate (Dorf et al), 222
Articulator, Hanau H-2, modification of, to accept earpiece face-bow (Kastner), 138
study of acceptability of lateral interocclusal records by (Gaston et al), 252
Artificial stone, microwave oven drying of (Luebke and Schneider), 261
teeth, maxillary anterior, determining approximate size of, when mandibular anterior teeth are present. Part I: Size relationship (McArthur), 216
measuring wear of, with stereophotography: Part I (Ogle and Ortman), 807
Asymptomatic population, tomographic study of mandibular condyle position in (Pullinger et al), 706
Attachment, nonvertical loaded minimal stress, with mandibular staple implant (Hadeed and Pipko), 824
Attitude in fixed prosthodontic patients, changes of (Conny et al), 451
Augmentation, alveolar ridge, and bone induction, potential use for: New hydroxyapatite ceramic materials (Griffiths), 109
Autopolymerizing and heat-processed resilient denture liners, denture flange modification for (Saunders and Estrello), 133
Axis, kinematic hinge, technique to record location of, without tattooing (Gordon) (Tips), 142

B

Balancing ramps in nonanatomic complete denture occlusion (Nimmo and Kratochvil), 431
Base(s) and varnishes, cavity, effects of: Dentin permeability (Pashley et al), 511
development, wax, for complete denture impressions (Applebaum and Rivetti), 663
maxillary denture, palatal shape and flexural strength of (Morris et al), 670
permanent denture, correction technique, in-office (Ruffino), 437
heat-cured, technique for fabrication of mandibular denture over staple bone implant using (Goll and Smith), 820
retention, occlusal adjustment, and fit, effects of, on masseter muscle activity and masticatory performance, Part III: Studies of biologic parameters for denture design (Perez et al), 69
stable removable partial denture record, putty materials for (Mitchener and Omori), 435
Based-aluminum temporary removable partial dentures (Nelson et al), 877
Biocompatibility evaluation of resins in hamsters (Thomas et al), 428
Biologic parameters for denture design, studies of. Part III: Effects of occlusal adjustment, base retention, and fit on masseter muscle activity and masticatory performance (Perez et al), 69
Biomaterials, implanted, tissue reaction to (Akagawa et al), 681
Biometric comparison of bur and electrosurgical retraction methods (DeVitre et al), 179
Biosynthesis, collagen, related to temporomandibular joint clicking in early childhood (Gage), 714
Body porcelain color and applied metallic oxide pigments, spectrophotometric study of relationship between (Lund et al), 790
Bond strength(s), comparison of, using one-step and two-step alloy etching techniques (McLaughlin and Masek), 516
of cements to nickel-chromium and silver-palladium alloys (Chan et al), 353
etched-metal resin-bonded retainers, effect of surface treatments on (Meiers et al), 185
Bond strength(s)—cont'd
relative shear, of luting media with various core materials (Dilts et al), 505
shear, and surface preparation of casting-cement interface (Button et al), 34
tensile, of glass-ionomer cement (Lacefield et al), 194
Bonded-resin, etched-metal, retainers, effect of surface treatments on bond strength of (Meiers et al), 185
rest seats (Lyon), 366
particle-roughened, retainers (Hudgins et al), 471
retainers, cross-arch splinting with (Rothschild), 627
Bonding, alloy-porcelain, role of gallium in (Sarkar et al), 190
and etching, effect of, on recurrent caries in teeth restored with composite resin (Staninec et al), 521
properties and dimensional stability of hydrocolloid impression systems in fixed prosthodontics (Dahl et al), 796
Bone implant, staple, technique for fabrication of mandibular denture over, using permanent heat-cured base (Goll and Smith), 820
induction and alveolar ridge augmentation, potential use for: New hydroxyapatite ceramic materials (Griffiths), 109
resorption, mandibular alveolar: Vertical assessment (Friedman et al), 722
Border molding, conventional, alternative approach to (Jones and Sobieralski), 745
one-step (Kirk and Holt) (Tips), 598
movement, mandibular, investigation of effect of variable anterior guidance incline on graphic registration of: Part I (Gross and Hirsh), 731
Boxing impressions with irreversible hydrocolloid (Stipho), 740
Bruxing, duration of nocturnal tooth contacts during (Kydd and Daly), 717
Bruxism and its effect on natural teeth (Pavone), 692
Buccal dentin walls, resistance to root fracture of dowel channels with various thicknesses of (Tjan and Whang), 496
Bur and electrosurgical retraction methods, biometric comparison of (DeVitre et al), 179
Burns, chemical, of oral cavity, prosthetic treatment for (Seals and Cain), 688
Burned ears, maxillofacial prosthetics and iontophoresis in management of (Sela et al), 226

C

Candida, ability of enzymes to remove (Tamamoto et al), 214
albicans, prevalence and persistence of different strains of, in treatment of denture stomatitis (Watkinson et al), 365
Calcium hydroxide placement within root canal, efficient (Kleier et al), 509
Calibrations, incisal guide, evaluation of (Mansueto et al), 490
Canal, root, efficient calcium hydroxide placement within (Kleier et al), 509
Canines, restoration of missing or misplaced (Bower and Reinhart), 772
Caries, incipient, use of laser for debridement of (Myers and Myers), 776
recurrent, effect of etching and bonding on, in teeth restored with composite resin (Staninec et al), 521
Carious dentin, comparison of digital and optical criteria for detecting (Anderson and Charbeneau), 643
Carriers, intraoral radiation, use of afterloading technique for (Minsley and Rothenberg), 676
Cast(s) crowns, full, made by commercial dental laboratories, relationship between open margins and margin designs on (Dedmond), 463
diagnostic, simplified guide to trimming esthetically appealing (Carlin and Oertling), 882
-drop aluminum cores, fabrication of (Pipko and Hadeed), 501
duplicate, in fabrication of temporary removable partial dentures (Nelson and Palik), 441
post(s) and core, crown repair using (Hall and Williams), 641
laminated single impression technique for (Chiche and Mikhail), 325

Cast(s)—cont'd
restorations, measurement of occlusal reduction for (Limpinsel), 838
restoring abutment teeth with, to fit existing removable partial dentures (Sigaroudi), 628
stone, produced by perforated trays and nonperforated trays, accuracy of (Woodward et al), 347
Castability, alloy, effect of two-step ringless investment technique on (Dern et al), 874
of silver-base fixed partial denture alloys (Kaminski et al), 329
Casting(s) accuracy, improving, of fixed partial dentures (Hinman et al), 466
-cement interface, surface preparation and shear bond strength of (Button et al), 34
dental, investment, internal setting expansion of, measured with strain gauges (Meiser et al), 870
etched, as adjunct to mouth preparation for removable partial dentures (Leupold and Faraone), 655
machine, improved centrifugal, evaluation of (Donovan and White), 609
Cavity(ies) liner and cavity varnish appearance on enamel and dentin (Tveit et al), 199
mesial-occlusal-distal, prepared with sharp and round internal line forms, fracture resistance of human teeth with (Eakle and Braly), 646
oral, prosthetic treatment for chemical burns of (Seals and Cain), 688
varnish(es) and bases, effects of: Dentin permeability (Pashley et al), 511
cavity liner appearance on enamel and dentin (Tveit et al), 199
Cement(s)-casting interface, surface preparation and shear bond strength of (Button et al), 34
glass-ionomer, tensile bond strength of (Lacefield et al), 194
resin, crown retention and seating on natural teeth with (Brukl et al), 618
to nickel-chromium and silver-palladium alloys, bond strength of (Chan et al), 353
Cementation, interim, atraumatic removal of porcelain veneer crowns after (Chiche and Mikhail), 164
Central incisor widths, relationship of maxillary to mandibular, Part III: Determination of approximate size of maxillary anterior denture teeth when mandibular anterior teeth are present (McArthur), 540
Centricity, mandibular, in three dimensions, reproducibility of (Hobo and Iwata), 649
Centrifugal casting machine, improved, evaluation of (Donovan and White), 609
Ceramic(s), fired, reproduction of waxed functional occlusal patterns in (Abarno and Kreiner), 247
materials, new hydroxyapatite: Potential use for bone induction and alveolar ridge augmentation (Griffiths), 109
-metal crowns, analysis of margin configurations for (Donovan and Prince), 153
Chromascan and spectrophotometric color measurements of 100 natural teeth, comparison of (Goodkind et al), 105
Channel(s), dowel, with various thicknesses of buccal dentin walls, resistance to root fracture of (Tjan and Whang), 496
internal escape, comparison of, with die spacing and occlusal venting (Tjan and Sarkissian), 613
to improve seating of full crowns with various marginal configurations: Follow-up study (Tjan et al), 759
Chemical burns of oral cavity, prosthetic treatment for (Seals and Cain), 688
Chewing patterns of patients with complete dentures, changes in, after placement of osseointegrated implants in the mandible (Jemt et al), 578
Childhood, early, collagen biosynthesis related to temporomandibular joint clicking in (Gage), 714
Chromium-nickel and silver-palladium alloys, bond strength of cements to (Chan et al), 353
Clasp arm designs, reaction of anterior abutment of Kennedy Class II removable partial denture to various: In vitro study (Firtell et al), 77
Clasp—cont'd
designs, embrasure, tooth preparation guide for (von Gonten and Palik), 281
failure, embrasure, laboratory pitfalls that contribute to (Donovan et al), 134
Class VI and IV defects in anterior teeth, restoration of, with unfilled resin (Armstrong), 9
IV and VI defects in anterior teeth, restoration of, with unfilled resin (Armstrong), 9
Cleansers, denture, and in vitro plaque (Sharp and Verran), 584
Cleft palate, early prosthetic management of. Articulation development prosthesis: Preliminary report (Dorf et al), 222
patients, surgically compromised, prosthodontic considerations in management of (McKinstry and Aramany), 827
Clicking, temporomandibular joint, in early childhood, collagen biosynthesis related to (Gage), 714
Clinical dentistry, analysis of anger in relation to (Araki), 591
judgment of dental students, system for developing and evaluating (McDonald and Larsen), 265
Clutches, improved pantograph, fabricated intraorally (Dedmon), 332
Collagen biosynthesis related to temporomandibular joint clicking in early childhood (Gage), 714
Color measurements of 100 natural teeth, comparison of Chromascan and spectrophotometric (Goodkind et al), 105
Complete denture(s), changes in chewing patterns of patients with, after placement of osseointegrated implants in the mandible (Jemt et al), 578
curriculum survey of dental schools in United States (Jaggers et al), 736
impression(s) technique, effect of, on oral mucosa (El-Khodary et al), 543
wax base development for (Applebaum and Rivetti), 663
management of mucolabial fold when developing impressions for (McArthur), 62
occlusion, nonanatomic, balancing ramps in (Nimmo and Kratochvil), 431
prosthodontics, ala-tragus line in (van Niekerk), 67
practical considerations for using face-bow for (Zuckerman), 219
psychologic consideration in: Depression (Chamberlain and Chamberlain), 673
spare, trial-packed, heat-processed (McArthur and James), 741
wearers, clinical long-term study of (Bergman and Carlsson), 56
mandibular dentures, rebasing metal-based (Sherman and Komorech), 130
Committee on Scientific Investigation of American Academy of Restorative Dentistry, report of (Phillips et al), 844
Composite resin(s), effect of etching and bonding on recurrent caries in teeth restored with (Staninec et al), 521
for restorative and orthodontic correction of anterior interdental spacing, use of (Heymann and Hershey), 766
light-activated, as adjunct to fabrication of fixed partial denture prosthesis (Goldstein), 161
restoration(s) of diastemas, custom-matrix technique for (Chen et al), 6
with cementum margins, microleakage of (Phair and Fuller), 361
ultraviolet light stability of (Wozniak et al), 204
visible light-cured, interface seal of incremental placement of (Podshadley et al), 625
Compression molding and pour resin technique, laboratory study of changes in vertical dimension using (Dukes et al), 667
Compressive strength study of all-ceramic crown (Josephson et al), 301
Concentration, optimal, of phosphoric acid as etching agent. Part III: Enamel wettability studies (Retief et al), 42
Condylar position, evaluation of, from temporomandibular joint radiographs (Aquilino et al), 88
Condyle position, mandibular, in asymptomatic population, tomographic study of (Pullinger et al), 706

Configurations, analysis of margin, for metal-ceramic crowns (Donovan and Prince), 153
Construction of crown or fixed partial denture, impression technique for (Hill), 127
Contact(s) intensities, diagram of: Basic characteristic of occlusion (Neff et al), 697
occlusal, permanent method of recording (Millstein) (Tips), 748
tooth, duration of nocturnal, during bruxing (Kydd and Daly), 717
Contaminated-amalgam instruments, mercury vapor produced during sterilization of (Cooley et al), 304
Conventional and high-copper amalgam restorations, microleakage of (Gottlieb et al), 355
border molding, alternative approach to (Jones and Sobieralski), 745
Cords, gingival retraction, review and survey of medicaments used with (Donovan et al), 525
Core(s) and post(s), cast, crown repair using (Hall and Williams), 641
laminated single impression technique for (Chiche and Mikhail), 325
system, new, retentive properties of (Deutsch et al), 12
drop-cast aluminum, fabrication of (Pipko and Hadeed), 501
materials, various, relative shear bond strengths of luting media with (Dilts et al), 505
-post restorations, technique to facilitate handling (Fedder) (Tips), 289
Corrosion behavior of anodized and nonanodized aluminum alloy, potentiostatic study of (White et al), 815
Cranial and maxillofacial epithesis treatment on osseointegrated implants: Concept and principles (Yontchev), 552
Crest, gingival, stability of, after surgery and before anterior crown placement (Wise), 20
Cross-arch splinting with resin-bonded retainers (Rothschild), 627
Crown(s), all-ceramic, compressive strength study of (Josephson et al), 301
esthetic, method for avoiding margin display on (Jones) (Tips), 599
veneer, margin placement of. Part IV: Postoperative patient attitudes (Crispin et al), 165
full cast, made by commercial dental laboratories, relationship between open margins and margin designs on (Dedmond), 463
with various marginal configurations, internal escape channel to improve seating of: Follow-up study (Tjan et al), 759
marginal opening of single and twin platinum foil–bonded aluminous porcelain (Faull et al), 29
metal-ceramic, analysis of margin configurations for (Donovan and Prince), 153
or fixed partial denture, impression technique for construction of (Hill), 127
placement, anterior, stability of gingival crest after surgery and before (Wise), 20
porcelain veneer, atraumatic removal of, after interim cementation (Chiche and Mikhail), 164
repair using cast post and core (Hall and Williams), 641
retention and seating on natural teeth with resin cement (Brukl et al), 618
temporary, technique for plastic margins on (DeNamur) (Tips), 883
wax patterns, effect of manipulative variables on (Grajower and Lewinstein), 168
fit of, after removal from die (Zeltser et al), 344
Cured-visible light composite resins, interface seal of incremental placement of (Podshadley et al), 625
Curriculum and laboratory survey, prosthodontic. Part IV: Fixed prosthodontic curriculum survey (Taylor et al), 267
complete denture, survey of dental schools in United States (Jaggers et al), 736
survey, fixed prosthodontic, Part IV: Prosthodontic laboratory and curriculum survey (Taylor et al), 267
Cusp travel during nonworking mandibular movement, three-dimensional analysis of (Schulte et al), 839
Cuspal fracture, in vivo study of (Cavel et al), 38
Custom-made denture teeth and denture base material for removable partial dentures (Schulter), 271
-matrix technique for composite resin restoration of diastemas (Chen et al), 6
trays, technique for fabricating (Christensen) (Tips), 291
thermoplastic, for making regional facial impressions (Aquilino et al), 686

D

Dam lubricant, rubber, topical anesthetic gel as (Sposetti) (Tips), 291
rubber, in place, moisture evacuation with (Lambert) (Tips), 749
Debridement of incipient caries, use of laser for (Myers and Myers), 776
Defects, articulation, aerodynamic study of adults with childhood history of (Hamlet), 553
Class IV and VI, in anterior teeth, restoration of, with unfilled resin (Armstrong), 9
Dental alloy, nonnoble, solders, comparative tensile strengths of (Kaylakie and Brukl), 455
casting investment, internal setting expansion of, measured with strain gauges (Meiser et al), 870
floss in restorative dentistry, role of (Samant et al), 597
laboratories, commercial, relationship between open margins and margin designs on full cast crowns made by (Dedmond), 463
schools in United States, complete denture curriculum survey of (Jaggers et al), 736
methods taught in, for determining posterior palatal seal region (Chen et al), 380
students, system for developing and evaluating clinical judgment of (McDonald and Larsen), 265
Dentin, adaptation of prefabricated post to (Deutsch et al), 182
and enamel, cavity varnish and cavity liner appearance on (Tveit et al), 199
buccal, walls, resistance to root fracture of dowel channels with various thicknesses of (Tjan and Whang), 496
carious, comparison of digital and optical criteria for detecting (Anderson and Charbeneau), 643
permeability and pulpal response to EDTA (Lindemann et al), 341
Effects of cavity varnishes and bases (Pashley et al), 511
Dentistry, clinical, analysis of anger in relation to (Araki), 591
Restorative, report of Committee on Scientific Investigation of American Academy of (Phillips et al), 844
role of dental floss in (Samant et al), 597
Denture(s) alloys, silver-base fixed partial, castability of (Kaminski et al), 329
aluminum-based temporary removable partial (Nelson et al), 877
base(s) material and custom-made denture teeth for removable partial dentures (Schulter), 271
maxillary, palatal shape and flexural strength of (Morris et al), 670
cleansers and in vitro plaque (Sharp and Verran), 584
complaints, diagnostic significance of (Koktin), 73
complete, changes in chewing patterns of patients with, after placement of osseointegrated implants in the mandible (Jemt et al), 578
curriculum survey of dental schools in United States (Jaggers et al), 736
impression technique, effect of, on oral mucosa (El-Khodary et al), 543
management of mucolabial fold when developing impressions for (McArthur), 62
prosthodontics, practical considerations for using face-bow for (Zuckerman), 219
design, studies of biologic parameters for. Part III: Effects of occlusal adjustment, base retention, and fit on masseter muscle activity and masticatory performance (Perez et al), 69
distal extension maxillary removable partial, modified finish line in (Nelson et al), 593

Denture(s)—cont'd
existing, final impression trays from (Kirk and Holt) (Tips), 443
removable partial, restoring abutment teeth with cast restorations to fit (Sigaroudi), 628
fixed partial, improving casting accuracy of (Hinman et al), 466
or crown, impression technique for construction of (Hill), 127
technique for applying porcelain to pontics of (Donovan et al), 134
flange modification for autopolymerizing and heat-processed resilient denture liners (Saunders and Estrello), 133
how to promote and maintain good oral health in spite of wearing (Wendt), 805
impressions, complete, wax base development for (Applebaum and Rivetti), 663
inserts, metal, in treatment of elongated maxillary tuberosities (Nimmo), 880
liners, autopolymerizing and heat-processed resilient, denture flange modification for (Saunders and Estrello), 133
mandibular, technique for fabrication of, over staple bone implant using permanent heat-cured base (Goll and Smith), 820
occlusion, nonanatomic complete, balancing ramps in (Nimmo and Kratochvil), 431
palate, maxillary, reproduction of rugae on (Garfunkel) (Tips), 747
patients, difficult: Observations and hypothesis (Pitts), 532
permanent, base correction technique, in-office (Ruffino), 437
prosthesis, fixed partial, light-activated composite resin as adjunct to fabrication of (Goldstein), 161
prosthodontics, complete, ala-tragus line in (van Niekerk), 67
complete, psychologic consideration in: Depression (Chamberlain and Chamberlain), 673
reaction of anterior abutment of Kennedy Class II removable, to various clasp arm designs: In vitro study (Firtell et al), 77
rebasing metal-based complete mandibular (Sherman and Komorech), 130
removable, onlay technique for (Kafandaris), 278
partial, custom-made denture teeth and denture base material for (Schulter), 271
etched castings as adjunct to mouth preparation for (Leupold and Faraone), 655
rest seat adaptation, clinical evaluation of (Stern et al), 658
simplified alternative to altered-cast impression technique for (James) (Tips), 598
stable removable partial, record bases, putty materials for (Mitchener and Omori), 435
stomatitis, prevalence and persistence of different strains of Candida albicans in treatment of (Watkinson et al), 365
transmission electron microscopy of plaque accumulations in (Frank and Steuer), 115
temporary removable partial, duplicate casts in fabrication of (Nelson and Palik), 441
teeth, anatomic acrylic resin, wear of (Khan et al), 550
custom-made, and denture base material for removable partial dentures (Schulter), 271
maxillary anterior, determination of approximate size of, when mandibular anterior teeth are present. Part II: Mold selection (McArthur), 369; Part III: Relationship of maxillary to mandibular central incisor widths, 540
posterior, aid to setting (Nimmo) (Tips), 748
revitalizing defaced maxillary plastic, with resin stain (Martin et al), 434
trial-packed, heat-processed spare complete (McArthur and James), 741
wearers, complete, clinical long-term study of (Bergman and Carlsson), 56
oral mucosal disorders in (Dorey et al), 210
Depression: Psychologic consideration in complete denture prosthodontics (Chamberlain and Chamberlain), 673
Derangement, internal, of temporomandibular joint, comparative study of two treatment methods for (Anderson et al), 392
Development, wax base, for complete denture impressions (Applebaum and Rivetti), 663
Diagnosis, differential, in temporomandibular joint pain–dysfunction syndrome, maxillary sinusitis as (Rihani), 97
Diagnostic casts, simplified guide to trimming esthetically appealing (Carlin and Oertling), 882
significance of denture complaints (Kotkin), 73
Diametral tensile strength of activated acrylic resins, porosity reduction and its associated effect on (Keller and Lautenschlager), 374
Diastemas, custom-matrix technique for composite resin restoration of (Chen et al), 6
Die, fit of crown wax patterns after removal from (Zeltser et al), 344
-investment stone and die-stone cast, combined, for making resin-retained prostheses (Kanoy and Strayhorn), 285
recovery technique (Jordan and Leary), 283
spacing and occlusal venting, comparison of internal escape channels with (Tjan and Sarkissian), 613
-stone cast and die-investment stone, combined, for making resin-retained prostheses (Kanoy and Strayhorn), 285
Differential diagnosis in temporomandibular joint pain–dysfunction syndrome, maxillary sinusitis as (Rihani), 97
Digital and optical criteria for detecting carious dentin, comparison of (Anderson and Charbeneau), 643
Dimension record, vertical: Three-dimensional phenomenon. Part II (Silverman), 573
vertical, influence of, on masseter muscle electromyographic activity in patients with mandibular dysfunction (Manns et al), 243
laboratory study of changes in, using compression molding and pour resin technique (Dukes et al), 667
Dimensional stability and bonding properties of hydrocolloid impression systems in fixed prosthodontics (Dahl et al), 796
-three analysis of cusp travel during nonworking mandibular movement (Schulte et al), 839
Disk displacement, anterior, in temporomandibular joint, development of: Autopsy study (Hellsing and Holmlund), 397
TMJ, evaluation of arthrographically assisted splint therapy in treatment of (Tallents et al), 836
Disorders, oral mucosal, in denture wearers (Dorey et al), 210
Displacement, anterior disk, in temporomandibular joint, development of: Autopsy study (Hellsing and Holmlund), 397
TMJ disk, evaluation of arthrographically assisted splint therapy in treatment of (Tallents et al), 836
Display, margin, on esthetic crowns, method for avoiding (Jones) (Tips), 599
Distal extension maxillary removable partial dentures, modified finish line in (Nelson et al), 593
-mesial-occlusal cavities prepared with sharp and round internal line forms, fracture resistance of human teeth with (Eakle and Braly), 646
Distortion, linear, of acrylic resin (O'Toole et al), 53
Dowel channels with various thicknesses of buccal dentin walls, resistance to root fracture of (Tjan and Whang), 496
pin placement, device for: Dowelklip (George and Holmes), 276
Dowelklip: Device for dowel pin placement (George and Holmes), 276
Drop-cast aluminum cores, fabrication of (Pipko and Hadeed), 501
Drying, microwave oven, of artificial stone (Luebke and Schneider), 261
Dysfunction, mandibular, and occlusion: Clinical study of patients referred for functional disturbances of masticatory system (Droukas et al), 402
influence of vertical dimension on masseter muscle electromyographic activity in patients with (Manns et al), 243
–pain syndrome, temporomandibular joint, maxillary sinusitis as differential diagnosis in (Rihani), 97

E

Ear(s), burned, maxillofacial prosthetics and iontophoresis in management of (Sela et al), 226
positioner, prosthetic, technique for constructing (Disantis), 282
Earpiece face-bow, accuracy of (Palik et al), 800
modification of Hanau H-2 articulator to accept (Kastner), 138

Edentulous patients, panoramic radiographic examination of (Jones et al), 535
EDTA, dentin permeability and pulpal response to (Lindemann et al), 341
Elastics, interarch, instrument to facilitate placement of (Cain) (Tips), 143
Elastomer impressions, relationship of syringe-tip diameter to voids in (Stackhouse), 812
Electromyographic activity, masseter muscle, influence of vertical dimension on, in patients with mandibular dysfunction (Manns et al), 243
Electrosurgical and bur retraction methods, biometric comparison of (DeVitre et al), 179
Embrasure clasp designs, tooth preparation guide for (von Gonten and Palik), 281
failure, laboratory pitfalls that contribute to (Donovan et al), 134
Enamel and dentin, cavity varnish and cavity liner appearance on (Tveit et al), 199
varnish to prevent etching unrestored (Hachiya et al), 46
wettability studies, Part III: Optimal concentration of phosphoric acid as etching agent (Retief et al), 42
Endodontically treated teeth as abutments (Sorensen and Martinoff), 631
Enzymes, ability of, to remove Candida (Tamamoto et al), 214
Epithesis, cranial and maxillofacial, treatment on osseointegrated implants: Concept and principles (Yontchev), 552
Escape channel(s), internal, comparison of, with die spacing and occlusal venting (Tjan and Sarkissian), 613
to improve seating of full crowns with various marginal configurations: Follow-up study (Tjan et al), 759
Esthetic crowns, method for avoiding margin display on (Jones) (Tips), 599
veneer crowns, margin placement of. Part IV: Postoperative patient attitudes (Crispin et al), 165
veneering materials, abrasion resistance of three types of (Staffanou et al), 309
Esthetically appealing diagnostic casts, simplified guide to trimming (Carlin and Oertling), 882
Etched castings as adjunct to mouth preparation for removable partial dentures (Leupold and Faraone), 655
-immersion alloy, resin retention by (Love and Breitman), 623
-metal, resin-bonded, rest seats (Lyon), 366
retainers, effect of surface treatments on bond strength of (Meiers et al), 185
Etching agent, optimal concentration of phosphoric acid as. Part III: Enamel wettability studies (Retief et al), 42
alloy, techniques, one-step and two-step, comparison of bond strengths using (McLaughlin and Masek), 516
and bonding, effect of, on recurrent caries in teeth restored with composite resin (Staninec et al), 521
unrestored enamel, varnish to prevent (Hachiya et al), 46
Eugenol–zinc oxide temporary restorations, pin-retained reinforced (Porter and Re) (Tips), 141
Evacuation, moisture, with rubber dam in place (Lambert) (Tips), 749
Expansion, internal setting, of dental casting investment measured with strain gauges (Meiser et al), 870
Exposure, xylene, effective measures to reduce (Engelmeier), 564
Extraoral prostheses, hollow, fabrication of, to enhance retention (Rouse and Chalian), 557

F

Face-bow, earpiece, accuracy of (Palik et al), 800
modification of Hanau H-2 articulator to accept (Kastner), 138
practical considerations for using, for complete denture prosthodontics (Zuckerman), 219
remount index, quick (Kirk) (Tips), 142
Facial impressions, regional, thermoplastic custom trays for making (Aquilino et al), 686
prosthetic(s), acetic acid vapor levels associated with (McElroy et al), 86
material, new, mechanical properties of (Wolfaardt et al), 228
Final impression(s), alteration of occlusal reduction of prepared abutment teeth subsequent to (Davidoff), 158
trays from existing dentures (Kirk and Holt) (Tips), 443
Finger rests in prosthodontics (Kastner) (Tips), 290
Finish line, modified, in distal extension maxillary removable partial dentures (Nelson et al), 593
Fit, occlusal adjustment, and base retention, effects of, on masseter muscle activity and masticatory performance, Part III: Studies of biologic parameters for denture design (Perez et al), 69
of three porcelain-fused-to-metal marginal designs in vivo: Scanning electron microscope study (Belser et al), 24
Fixed and removable prosthodontics, successful integration of (Seals and Schwartz), 763
partial denture(s) alloys, silver-base, castability of (Kaminski et al), 329
improving casting accuracy of (Hinman et al), 466
or crown, impression technique for construction of (Hill), 127
prosthesis, light-activated composite resin as adjunct to fabrication of (Goldstein), 161
technique for applying porcelain to pontics of (Donovan et al), 134
prosthodontic(s), bonding properties and dimensional stability of hydrocolloid impression systems in (Dahl et al), 796
curriculum survey, Part IV: Prosthodontic laboratory and curriculum survey (Taylor et al), 267
instrumentation for solving abutment parallelism problems in (Gold), 172
patients, changes of attitude in (Conny et al), 451
Flange, denture, modification for autopolymerizing and heat-processed resilient denture liners (Saunders and Estrello), 133
Flexural strength and palatal shape of maxillary denture bases (Morris et al), 670
Floss, dental, role of, in restorative dentistry (Samant et al), 597
Fluoride preparations, topical, effects of, on glazed porcelain surfaces (Jones), 483
Foil-bonded aluminous porcelain crowns, marginal opening of single and twin platinum (Faull et al), 29
Fold, management of mucolabial, when developing impressions for complete dentures (McArthur), 62
Fracture, cuspal, in vivo study of (Cavel et al), 38
resistance of human teeth with mesial-occlusal-distal cavities prepared with sharp and round internal line forms (Eakle and Braly), 646
root, and design of prefabricated posts (Deutsch et al), 637
during insertion of prefabricated posts related to root size (Deutsch et al), 785
resistance to, of dowel channels with various thicknesses of buccal dentin walls (Tjan and Whang), 496
Full cast crowns made by commercial dental laboratories, relationship between open margins and margin designs on (Dedmond), 463
Functional occlusal patterns, waxed, reproduction of, in fired ceramics (Abarno and Kreiner), 247

G

Gallium in alloy-porcelain bonding, role of (Sarkar et al), 190
Gauges, strain, internal setting expansion of dental casting investment measured with (Meiser et al), 870
Gel, topical anesthetic, as rubber dam lubricant (Sposetti) (Tips), 291
Geometric study of incisal guide pin opening (Kaiser and Schelb), 495
Gingival crest, stability of, after surgery and before anterior crown placement (Wise), 20
proximal, overhangs, preventing, in newly condensed amalgams (Marshall et al) (Tips), 288
retraction cords, review and survey of medicaments used with (Donovan et al), 525
Glass-ionomer cement, tensile bond strength of (Lacefield et al), 194
Glazed porcelain surfaces, effects of topical fluoride preparations on (Jones), 483

Glossectomy patient, speech considerations in prosthodontic rehabilitation of (McKinstry et al), 384
Guard, lip injury (Robins and Weiss), 439
Guidance, altered working-side occlusal, influence of, on masticatory muscles and related jaw movement (Belser and Hannam), 406
incline, variable anterior, on graphic registration of mandibular border movement, investigation of effect of: Part I (Gross and Hirsh), 731
Guide, incisal, calibrations, evaluation of (Mansueto et al), 490
pin, incisal, opening, geometric study of (Kaiser and Schelb), 495
simplified, to trimming esthetically appealing diagnostic casts (Carlin and Oertling), 882
tooth preparation, for embrasure clasp designs (von Gonten and Palik), 281

H

Health, good oral, how to promote and maintain, in spite of wearing dentures (Wendt), 805
periodontal, effect of restoration quality on (Grasso et al), 14
Heat-cured, permanent, base, technique for fabrication of mandibular denture over staple bone implant using (Goll and Smith), 820
-processed and autopolymerizing resilient denture liners, denture flange modification for (Saunders and Estrello), 133
trial-packed spare complete denture (McArthur and James), 741
High-copper and conventional amalgam restorations, microleakage of (Gottlieb et al), 355
Hinge axis, kinematic, technique to record location of, without tattooing (Gordon) (Tips), 142
Histopathologic findings in temporomandibular joints of aged individuals (Castelli et al), 415
Hollow bulb obturator, fabrication of (Palmer and Coffey), 595
extraoral prostheses, fabrication of, to enhance retention (Rouse and Chalian), 557
Horizontal pins: Study of toth reinforcement (Burgess), 317
Hydrocolloid impression systems in fixed prosthodontics, bonding properties and dimensional stability of (Dahl et al), 796
irreversible, boxing impressions with (Stipho), 740
Hydroxide, calcium, efficient, placement within the root canal (Kleier et al), 509
Hydroxyapatite ceramic materials, new: Potential use for bone induction and alveolar ridge augmentation (Griffiths), 109

I

Immersion-etched alloy, resin retention by (Love and Breitman), 623
Implant(s), mandibular staple, nonvertical loaded minimal stress attachment with (Hadeed and Pipko), 824
osseointegrated, cranial and maxillofacial epithesis treatment on: Concept and principles (Yontchev), 552
in mandible, changes in chewing patterns of patients with complete dentures after placement of (Jemt et al), 578
staple bone, technique for fabrication of mandibular denture over, using permanent heat-cured base (Goll and Smith), 820
Implanted biomaterials, tissue reaction to (Akagawa et al), 681
Impression(s), boxing, with irreversible hydrocolloid (Stipho), 740
complete denture, wax base development for (Applebaum and Rivetti), 663
elastomer, relationship of syringe-tip diameter to voids in (Stackhouse), 812
final, alteration of occlusal reduction of prepared abutment teeth subsequent to (Davidoff), 158
for complete dentures, management of mucolabial fold when developing (McArthur), 62
materials, accuracy of four types of rubber, compared with time of pour and repeat pour of models (Johnson and Craig), 484
regional facial, thermoplastic custom trays for making (Aquilino et al), 686
systems, hydrocolloid, in fixed prosthodontics, bonding properties and dimensional stability of (Dahl et al), 796
Impression(s)—cont'd
technique, altered-cast, for removable partial dentures, simplified alternative to (James) (Tips), 598
complete denture, effect of, on oral mucosa (El-Khodary et al), 543
for construction of crown or fixed partial denture (Hill), 127
laminated single, for cast posts and cores (Chiche and Mikhail), 325
trays, final, from existing dentures (Kirk and Holt) (Tips), 443
Incisal guide calibrations, evaluation of (Mansueto et al), 490
pin opening, geometric study of (Kaiser and Schelb), 495
Incisor widths, central, relationship of maxillary to mandibular, Part III: Determination of approximate size of maxillary anterior denture teeth when mandibular anterior teeth are present (McArthur), 540
Incline, variable anterior guidance, on graphic registration of mandibular border movement, investigation of effect of: Part I (Gross and Hirsh), 731
Index, quick face-bow remount (Kirk) (Tips), 142
Indicator wax, occlusal, evaluation of (Millstein), 570
Induction, bone, and alveolar ridge augmentation, potential use for: New hydroxyapatite ceramic materials (Griffiths), 109
Injury, lip, guard (Robins and Weiss), 439
Inserts, metal denture, in treatment of elongated maxillary tuberosities (Nimmo), 880
Insertion of prefabricated posts, root fracture during, related to root size (Deutsch et al), 785
Instruments, amalgam-contaminated, mercury vapor produced during sterilization of (Cooley et al), 304
Integration, successful, of fixed and removable prosthodontics (Seals and Schwartz), 763
Intensities, contact, diagram of: Basic characteristic of occlusion (Neff et al), 697
Interarch elastics, instrument to facilitate placement of (Cain) (Tips), 143
Intercuspal position, variability of (Barmby), 702
Interdental spacing, anterior, use of composite resin for restorative and orthodontic correction of (Heymann and Hershey), 766
Interface, casting-cement, surface preparation and shear bond strength of (Button et al), 34
seal of incremental placement of visible light–cured composite resins (Podshadley et al), 625
Interim obturation of palatal perforations, method for (Moergeli and Fuller), 680
Internal derangement of temporomandibular joint, comparative study of two treatment methods for (Anderson et al), 392
escape channel(s), comparison of, with die spacing and occlusal venting (Tjan and Sarkissian), 613
to improve seating of full crowns with various marginal configurations: Follow-up study (Tjan et al), 759
line forms, sharp and round, fracture resistance of human teeth with mesial-occlusal-distal cavities prepared with (Eakle and Braly), 646
setting expansion of dental casting investment measured with strain gauges (Meiser et al), 870
Interocclusal, lateral, records, study of acceptability of, by Hanau H-2 articulator (Gaston et al), 252
records, study of acceptability of lateral, by Hanau H-2 articulator (Gaston et al), 252
registration materials, properties of (Lassila and McCabe), 100
Intraoral radiation carriers, use of afterloading technique for (Minsley and Rothenberg), 676
Investment, dental casting, internal setting expansion of, measured with strain gauges (Meiser et al), 870
stone-die and stone cast–die, combined, for making resin-retained prostheses (Kanoy and Strayhorn), 285
technique, effect of two-step ringless, on alloy castability (Dern et al), 874
Ionomer-glass cement, tensile bond strength of (Lacefield et al), 194
Iontophoresis and maxillofacial prosthetics in management of burned ears (Sela et al), 226
Irreversible hydrocolloid, boxing impressions with (Stipho), 740

J

Jaw movement, related, and masticatory muscles, influence of altered working-side occlusal guidance on (Belser and Hannam), 406

Joint(s) clicking, temporomandibular, in early childhood, collagen biosynthesis related to (Gage), 714

presoldered and postsoldered, tensile strength of (Nicholls and Lemm), 476

soldered, tensile strength of (O'Toole et al), 350

temporomandibular, comparative study of two treatment methods for internal derangement of (Anderson et al), 392

development of anterior disk displacement in: Autopsy study (Hellsing and Holmlund), 397

of aged individuals, histopathologic findings in (Castelli et al), 415

pain–dysfunction syndrome, maxillary sinusitis as differential diagnosis in (Rihani), 97

patients, retrospective radiographic evaluation of 100 (Goldman and Taylor), 566

radiographs, evaluation of condylar position from (Aquilino et al), 88

Judgment, clinical, of dental students, system for developing and evaluating (McDonald and Larsen), 265

K

Kennedy Class II removable partial denture, reaction of anterior abutment of, to various clasp arm designs: In vitro study (Firtell et al), 77

Kinematic hinge axis, technique to record location of, without tattooing (Gordon) (Tips), 142

L

Laboratory(ies) and curriculum survey, prosthodontic. Part IV: Fixed prosthodontic curriculum survey (Taylor et al), 267

commercial dental, relationship between open margins and margin designs on full cast crowns made by (Dedmond), 463

pitfalls that contribute to embrasure clasp failure (von Gonten and Nelson), 136

Laminated single impression technique for cast posts and cores (Chiche and Mikhail), 325

Laser for debridement of incipient caries, use of (Myers and Myers), 776

Lateral interocclusal records, study of acceptability of, by Hanau H-2 articulator (Gaston et al), 252

Light-activated composite resin as adjunct to fabrication of fixed partial denture prosthesis (Goldstein), 161

–cured, visible, composite resins, interface seal of incremental placement of (Podshadley et al), 625

ultraviolet, stability of composite resins (Wozniak et al), 204

Line, modified finish, in distal extension maxillary removable partial dentures (Nelson et al), 593

Linear distortion of acrylic resin (O'Toole et al), 53

Liner(s), autopolymerizing and heat-processed resilient denture, denture flange modification for (Saunders and Estrello), 133

cavity, and cavity varnish appearance on enamel and dentin (Tveit et al), 199

Lip injury guard (Robins and Weiss), 439

Loaded, nonvertical, minimal stress attachment with mandibular staple implant (Hadeed and Pipko), 824

Lubricant, rubber dam, topical anesthetic gel as (Sposetti) (Tips), 291

Luting media, relative shear bond strengths of, with various core materials (Dilts et al), 505

M

Machine, improved centrifugal casting, evaluation of (Donovan and White), 609

Mandible, changes in chewing patterns of patients with complete dentures after placement of osseointegrated implants in (Jemt et al), 578

Mandibular alveolar bone resorption: Vertical assessment (Friedman et al), 722

Mandibular—cont'd

anterior teeth are present, determining approximate size of maxillary anterior artificial teeth when. Part I: Size relationship (McArthur), 216; Part II: Mold selection, 369; Part III: Relationship of maxillary to mandibular central incisor widths, 540

border movement, investigation of effect of variable anterior guidance incline on graphic registration of: Part I (Gross and Hirsh), 731

centricity in three dimensions, reproducibility of (Hobo and Iwata), 649

condyle position in asymptomatic population, tomographic study of (Pullinger et al), 706

denture(s), rebasing metal-based complete (Sherman and Komorech), 130

technique for fabrication of, over staple bone implant using permanent heat-cured base (Goll and Smith), 820

dysfunction and occlusion: Clinical study of patients referred for functional disturbances of masticatory system (Droukas et al), 402

influence of vertical dimension on masseter muscle electromyographic activity in patients with (Manns et al), 243

movement, nonworking, three-dimensional analysis of cusp travel during (Schulte et al), 839

opening, severely limited, alternative obturation for maxillectomy patient with (Taylor et al), 83

positioning prosthesis for partially resected mandibulectomy patient (Martin et al), 678

shape after tooth loss, preliminary study of (Lavelle), 726

staple implant, nonvertical loaded minimal stress attachment with (Hadeed and Pipko), 824

to maxillary central incisor widths, relationship of, Part III: Determination of approximate size of maxillary anterior denture teeth when mandibular anterior teeth are present (McArthur), 540

Mandibulectomy patient, partially resected, mandibular positioning prosthesis for (Martin et al), 678

Margin(s) configurations for metal-ceramic crowns, analysis of (Donovan and Prince), 153

designs and open margins, relationship between, on full cast crowns made by commercial dental laboratories (Dedmond), 463

display on esthetic crowns, method for avoiding (Jones) (Tips), 599

open, and margin designs, relationship between, on full cast crowns made by commercial dental laboratories (Dedmond), 463

placement of esthetic veneer crowns. Part IV: Postoperative patient attitudes (Crispin et al), 165

plastic, on temporary crowns, technique for (DeNamur) (Tips), 883

Marginal configurations, various, internal escape channel to improve seating of full crowns with: Follow-up study (Tjan et al), 759

designs, fit of three porcelain-fused-to-metal, in vivo: Scanning electron microscope study (Belser et al), 24

opening of single and twin platinum foil–bonded aluminous porcelain crowns (Faull et al), 29

Masseter muscle activity and masticatory performance, effects of occlusal adjustment, base retention, and fit on, Part III: Studies of biologic parameters for denture design (Perez et al), 69

electromyographic activity in patients with mandibular dysfunction, influence of vertical dimension on (Manns et al), 243

Masticatory muscles and related jaw movement, influence of altered working-side occlusal guidance on (Belser and Hannam), 406

performance and masseter muscle activity, effects of occlusal adjustment, base retention, and fit on, Part III: Studies of biologic parameters for denture design (Perez et al), 69

system, clinical study of patients referred for functional disturbances of: Occlusion and mandibular dysfunction (Droukas et al), 402

Matrix-custom technique for composite resin restoration of diastemas (Chen et al), 6
Maxillary anterior artificial teeth, determining approximate size of, when mandibular anterior teeth are present. Part I: Size relationship (McArthur), 216; Part II: Mold selection, 369; Part III: Relationship of maxillary to mandibular central incisor widths, 540
denture bases, palatal shape and flexural strength of (Morris et al), 670
palate, reproduction of rugae on (Garfunkel) (Tips), 747
plastic denture teeth, revitalizing defaced, with resin stain (Martin et al), 434
removable partial dentures, distal extension, modified finish line in (Nelson et al), 593
sinusitis as differential diagnosis in temporomandibular joint pain-dysfunction syndrome (Rihani), 97
to mandibular central incisor widths, relationship of, Part III: Determination of approximate size of maxillary anterior denture teeth when mandibular anterior teeth are present (McArthur), 540
tuberosities, elongated, metal denture inserts in treatment of (Nimmo), 880
Maxillectomy patient with severely limited mandibular opening, alternative obturation for (Taylor et al), 83
Maxillofacial and cranial epithesis treatment on osseointegrated implants: Concept and principles (Yontchev), 552
prosthetics and iontophoresis in management of burned ears (Sela et al), 226
Measurement of occlusal reduction for cast restorations (Limpinsel), 838
Medicaments used with gingival retraction cords, review and survey of (Donovan et al), 525
Mercury vapor produced during sterilization of amalgam-contaminated instruments (Cooley et al), 304
Mesial-occlusal-distal cavities prepared with sharp and round internal line forms, fracture resistance of human teeth with (Eakle and Braly), 646
Metal-based complete mandibular dentures, rebasing (Sherman and Komorech), 130
-ceramic crowns, analysis of margin configurations for (Donovan and Prince), 153
denture inserts in treatment of elongated maxillary tuberosities (Nimmo), 880
-etched, resin-bonded, rest seats (Lyon), 366
retainers, effect of surface treatments on bond strength of (Meiers et al), 185
-fused-to-porcelain marginal designs, fit of three, in vivo: Scanning electron microscope study (Belser et al), 24
Metallic oxide pigments, applied, and body porcelain color, spectrophotometric study of relationship between (Lund et al), 790
Microleakage of composite resin restorations with cementum margins (Phair and Fuller), 361
conventional and high-copper amalgam restorations (Gottlieb et al), 355
Microwave oven drying of artificial stone (Luebke and Schneider), 261
Misplaced or missing canines, restoration of (Bower and Reinhart), 772
Missing or misplaced canines, restoration of (Bower and Reinhart), 772
Models, accuracy of four types of rubber impression materials compared with time of pour and repeat pour of (Johnson and Craig), 484
Modified and unmodified, room temperature vulcanizing silicone, comparison of physical properties of (Kouyoumdjian et al), 388
finish line in distal extension maxillary removable partial dentures (Nelson et al), 593
unfilled, new, resin, shear test evaluation of (Doukoudakis et al), 586
Modular mouthstick system (Kozole et al), 831
Moisture evacuation with rubber dam in place (Lambert) (Tips), 749
Mold selection, Part II: Determination of approximate size of maxillary anterior denture teeth when mandibular anterior teeth are present (McArthur), 369
Molding, compression, and pour resin technique, laboratory study of changes in vertical dimension using (Dukes et al), 667
conventional border, alternative approach to (Jones and Sobieralski), 745
one-step border (Kirk and Holt) (Tips), 598
Mouth preparation for removable partial dentures, etched castings as adjunct to (Leupold and Faraone), 655
protectors, materials for (Bishop et al), 256
Mouthstick system, modular (Kozole et al), 831
Movement, mandibular border, investigation of effect of variable anterior guidance incline on graphic registration of: Part I (Gross and Hirsh), 731
nonworking mandibular, three-dimensional analysis of cusp travel during (Schulte et al), 839
Mucolabial fold, management of, when developing impressions for complete dentures (McArthur), 62
Mucosa, oral, effect of complete denture impression technique on (El-Khodary et al), 543
Mucosal disorders, oral, in denture wearers (Dorey et al), 210
Muscle(s), masseter, electromyographic activity, influence of vertical dimension on, in patients with mandibular dysfunction (Manns et al), 243
masticatory, and related jaw movement, influence of altered working-side occlusal guidance on (Belser and Hannam), 406

N

Natural teeth, bruxism and its effect on (Pavone), 692
Nickel-chromium and silver-palladium alloys, bond strength of cements to (Chan et al), 353
Nocturnal tooth contacts during bruxing, duration of (Kydd and Daly), 717
Nonanatomic complete denture occlusion, balancing ramps in (Nimmo and Kratochvil), 431
Nonanodized and anodized aluminum alloy, potentiostatic study of corrosion behavior of (White et al), 815
Nonnoble dental alloy solders, comparative tensile strengths of (Kaylakie and Brukl), 455
Nonperforated trays and perforated trays, accuracy of stone casts produced by (Woodward et al), 347
Nonvertical loaded minimal stress attachment with mandibular staple implant (Hadeed and Pipko), 824
Nonworking mandibular movement, three-dimensional analysis of cusp travel during (Schulte et al), 839

O

Obturation, alternative, for maxillectomy patient with severely limited mandibular opening (Taylor et al), 83
interim, of palatal perforations, method for (Moergeli and Fuller), 680
Obturator, hollow bulb, fabrication of (Palmer and Coffey), 595
surgical, quick technique for construction of (Disantis), 128
Occlusal adjustment, base retention, and fit, effects of, on masseter muscle activity and masticatory performance, Part III: Studies of biologic parameters for denture design (Perez et al), 69
by photocclusion (Gutman et al), 238
contact(s), permanent method of recording (Millstein) (Tips), 748
registration, simultaneous qualitative and quantitative, photocclusion technique for (Fitzig et al), 413
guidance, altered working-side, influence of, on masticatory muscles and related jaw movement (Belser and Hannam), 406
indicator wax, evaluation of (Millstein), 570
-mesial-distal cavities prepared with sharp and round internal line forms, fracture resistance of human teeth with (Eakle and Braly), 646
patterns, reproduction of waxed functional, in fired ceramics (Abarno and Kreiner), 247

Occlusal—cont'd
plane, study of position of parotid papilla relative to (Foley and Latta), 124
reduction for cast restorations, measurement of (Limpinsel), 838
of prepared abutment teeth subsequent to final impressions, alterations of (Davidoff), 158
venting and die spacing, comparison of internal escape channels with (Tjan and Sarkissian), 613
Occlusion and mandibular dysfunction: Clinical study of patients referred for functional disturbances of masticatory system (Droukas et al), 402
basic characteristic of: Diagram of contact intensities (Neff et al), 697
nonanatomic complete denture, balancing ramps in (Nimmo and Kratochvil), 431
Onlay technique for removable dentures (Kafandaris), 278
Open margins and margin designs, relationship between, on full cast crowns made by commercial dental laboratories (Dedmond), 463
Optical and digital criteria for detecting carious dentin, comparison of (Anderson and Charbeneau), 643
Oral cavity, prosthetic treatment for chemical burns of (Seals and Cain), 688
mucosa, effect of complete denture impression technique on (El-Khodary et al), 543
mucosal disorders in denture wearers (Dorey et al), 210
health, good, how to promote and maintain, in spite of wearing dentures (Wendt), 805
Orthodontic and restorative correction of anterior interdental spacing, use of composite resin for (Heymann and Hershey), 766
Osseointegrated implants, cranial and maxillofacial epithesis treatment on: Concept and principles (Yontchev), 552
in mandible, changes in chewing patterns of patients with complete dentures after placement of (Jemt et al), 578
Osseous proliferation, subpontic (Burkes et al), 780
Oven, microwave, drying of artificial stone (Luebke and Schneider), 261
Overdenture teeth, immediate, method to prepare, accurately (Kahn) (Tips), 290
Overhangs, proximal gingival, preventing, in newly condensed amalgams (Marshall et al) (Tips), 288
Oxide pigments, applied metallic, and body porcelain color, spectrophotometric study of relationship between (Lund et al), 790

P

Pain-dysfunction syndrome, temporomandibular joint, maxillary sinusitis as differential diagnosis in (Rihani), 97
Palatal perforations, method for interim obturation of (Moergeli and Fuller), 680
seal region, posterior, methods taught in dental schools for determining (Chen et al), 380
shape and flexural strength of maxillary denture bases (Morris et al), 670
Palate, cleft, early prosthetic management of. Articulation development prosthesis: Preliminary report (Dorf et al), 222
patients, surgically compromised, prosthodontic considerations in management of (McKinstry and Aramany), 827
maxillary denture, reproduction of rugae on (Garfunkel) (Tips), 747
Palladium-silver and nickel-chromium alloys, bond strength of cements to (Chan et al), 353
Panoramic radiographic examination of edentulous patients (Jones et al), 535
Pantograph clutches, improved, fabricated intraorally (Dedmon), 332
Papilla, parotid, study of position of, relative to occlusal plane (Foley and Latta), 124
Parameters, biologic, for denture design, studies of. Part III: Effects of occlusal adjustment, base retention, and fit on masseter muscle activity and masticatory performance (Perez et al), 69
Parotid papilla, study of position of, relative to occlusal plane (Foley and Latta), 124
Partial denture(s) alloys, silver-base fixed, castability of (Kaminski et al), 329
aluminum-based temporary removable (Nelson et al), 877
distal extension maxillary removable, modified finish line in (Nelson et al), 593
existing removable, restoring abutment teeth with cast restorations to fit (Sigaroudi), 628
fixed, improving casting accuracy of (Hinman et al), 466
or crown, impression technique for construction of (Hill), 127
technique for applying porcelain to pontics of (Donovan et al), 134
prosthesis, fixed, light-activated composite resin as adjunct to fabrication of (Goldstein), 161
reaction of anterior abutment of Kennedy Class II removable, to various clasp arm designs: In vitro study (Firtell et al), 77
removable, custom-made denture teeth and denture base material for (Schulter), 271
etched castings as adjunct to mouth preparation for (Leupold and Faraone), 655
rest seat adaptation, clinical evaluation of (Stern et al), 658
simplified alternative to altered-cast impression technique for (James) (Tips), 598
record bases, stable removable, putty materials for (Mitchener and Omori), 435
temporary removable, duplicate casts in fabrication of (Nelson and Palik), 441
Partially resected mandibulectomy patient, mandibular positioning prosthesis for (Martin et al), 678
Particle-roughened resin-bonded retainers (Hudgins et al), 471
Paste, pressure indicating, convenient use of (Kirk) (Tips), 288
Patient(s) attitudes, postoperative, Part IV: Margin placement of esthetic veneer crowns (Crispin et al), 165
difficult denture: Observations and hypothesis (Pitts), 532
edentulous, panoramic radiographic examination of (Jones et al), 535
fixed prosthodontic, changes of attitude in (Conny et al), 451
glossectomy, speech considerations in prosthodontic rehabilitation of (McKinstry et al), 384
maxillectomy, with severely limited mandibular opening, alternative obturation for (Taylor et al), 83
partially resected mandibulectomy, mandibular positioning prosthesis for (Martin et al), 678
referred for functional disturbances of masticatory system, clinical study of: Occlusion and mandibular dysfunction (Droukas et al), 402
surgically compromised cleft palate, prosthodontic considerations in management of (McKinstry and Aramany), 827
temporomandibular, retrospective radiographic evaluation of 100 (Goldman and Taylor), 566
with complete dentures, changes in chewing patterns of, after placement of osseointegrated implants in the mandible (Jemt et al), 578
mandibular dysfunction, influence of vertical dimension on masseter muscle electromyographic activity in (Manns et al), 243
Patterns, crown wax, effect of manipulative variables on (Grajower and Lewinstein), 168
fit of, after removal from die (Zeltser et al), 344
Perforated trays and nonperforated trays, accuracy of stone casts produced by (Woodward et al), 347
Perforations, palatal, method for interim obturation of (Moergeli and Fuller), 680
Periodontal health, effect of restoration quality on (Grasso et al), 14
Permanent denture base correction technique, in-office (Ruffino), 437
heat-cured base, technique for fabrication of mandibular denture over staple bone implant using (Goll and Smith), 820
Permeability, dentin, and pulpal response to EDTA (Lindemann et al), 341
Effects of cavity varnishes and bases (Pashley et al), 511
Persistence and prevalence of different strains of Candida albicans in treatment of denture stomatitis (Watkinson et al), 365

Phosphoric acid, optimal concentration of, as etching agent. Part III: Enamel wettability studies (Retief et al), 42
Photocclusion, occlusal adjustment by (Gutman), 238
technique for simultaneous qualitative and quantitative occlusal contact registration (Fitzig et al), 413
Photoelastic analysis of stress induced from insertion of self-threading retentive pins (Irvin et al), 311
Pigments, applied metallic oxide, and body porcelain color, spectrophotometric study of relationship between (Lund et al), 790
Pin(s), dowel, device for placement: Dowelklip (George and Holmes), 276
horizontal: Study of tooth reinforcement (Burgess), 317
opening, incisal guide, geometric study of (Kaiser and Schelb), 495
-retained reinforced zinc oxide–eugenol temporary restorations (Porter and Re) (Tips), 141
self-threading retentive, photoelastic analysis of stress induced from insertion of (Irvin et al), 311
Placement, incremental, of visible light–cured composite resins, interface seal of (Podshadley et al), 625
Plane, occlusal, study of position of parotid papilla relative to (Foley and Latta), 124
Plaque accumulations in denture stomatitis, transmission electron microscopy of (Frank and Steuer), 115
in vitro, denture cleansers and (Sharp and Verran), 584
Plaster, vibrating spatula for (Pontual) (Tips), 144
Plastic denture teeth, revitalizing defaced maxillary, with resin stain (Martin et al), 434
margins on temporary crowns, technique for (DeNamur) (Tips), 883
Platinum foil–bonded aluminous porcelain crowns, marginal opening of single and twin (Faull et al), 29
Pontics of fixed partial dentures, technique for applying porcelain to (Donovan et al), 134
Population, asymptomatic, tomographic study of mandibular condyle position in (Pullinger et al), 706
Porcelain-alloy bonding, role of gallium in (Sarkar et al), 190
body, color and applied metallic oxide pigments, spectrophotometric study of relationship between (Lund et al), 790
crowns, marginal opening of single and twin platinum foil–bonded aluminuous (Faull et al), 29
-fused-to-metal marginal designs, fit of three, in vivo: Scanning electron microscope study (Belser et al), 24
surfaces, glazed, effects of topical fluoride preparations on (Jones), 483
technique for applying, to pontics of fixed partial dentures (Donovan et al), 134
veneer crowns, atraumatic removal of, after interim cementation (Chiche and Mikhail), 164
Porosity reduction and its associated effect on diametral tensile strength of activated acrylic resins (Keller and Lautenschlager), 374
Position, intercuspal, variability of (Barmby), 702
mandibular condyle, in asymptomatic population, tomographic study of (Pullinger et al), 706
Positioner, prosthetic ear, technique for constructing (Disantis), 282
Post(s) and core(s), cast, crown repair using (Hall and Williams), 641
laminated single impression technique for (Chiche and Mikhail), 325
system, new, retentive properties of (Deutsch et al), 12
-core restorations, technique to facilitate handling (Fedder) (Tips), 289
prefabricated, adaptation of, to dentin (Deutsch et al), 182
root fracture and design of (Deutsch et al), 637
during insertion of, related to root size (Deutsch et al), 785
threaded, torque placed by dentists on (Deutsch et al), 323
Postsoldered and presoldered joints, tensile strength of (Nicholls and Lemm), 476
Posterior denture teeth, aid to setting (Nimmo) (Tips), 748
palatal seal region, methods taught in dental schools for determining (Chen et al), 380
Potentiostatic study of corrosion behavior of anodized and nonanodized aluminum alloy (White et al), 815
Pour, repeat, and time of pour of models, accuracy of four types of rubber impression materials compared with (Johnson and Craig), 484
resin technique and compression molding, laboratory study of changes in vertical dimension using (Dukes et al), 667
time of, and repeat pour of models, accuracy of four types of rubber impression materials compared with (Johnson and Craig), 484
Prefabricated posts, root fracture and design of (Deutsch et al), 637
during insertion of, related to root size (Deutsch et al), 785
to dentin, adaptation of (Deutsch et al), 182
threaded posts, torque placed by dentists on (Deutsch et al), 323
Preparation, mouth, for removable partial dentures, etched castings as adjunct to (Leupold and Faraone), 655
Presoldered and postsoldered joints, tensile strength of (Nicholls and Lemm), 476
Pressure indicating paste, convenient use of (Kirk) (Tips), 288
Prevalence and persistence of different strains of Candida albicans in treatment of denture stomatitis (Watkinson et al), 365
Proliferation, subpontic osseous (Burkes et al), 780
Prosthesis(es), articulation development: Preliminary report. Early prosthetic management of cleft palate (Dorf et al), 222
fixed partial denture, light-activated composite resin as adjunct to fabrication of (Goldstein), 161
hollow extraoral, fabrication of, to enhance retention (Rouse and Chalian), 557
mandibular positioning, for partially resected mandibulectomy patient (Martin et al), 678
resin-retained, combined die-investment stone and die-stone cast for making (Kanoy and Strayhorn), 285
Prosthetic(s) contingencies for future tooth loss (Kaldahl and Becker), 1
ear positioner, technique for constructing (Disantis), 282
facial, acetic acid vapor levels associated with (McElroy et al), 86
management, early, of cleft palate. Articulation development prosthesis: Preliminary report (Dorf et al), 222
material, new facial, mechanical properties of (Wolfaardt et al), 228
maxillofacial, and iontophoresis in management of burned ears (Sela et al), 226
treatment for chemical burns of oral cavity (Seals and Cain), 688
Prosthodontic(s), complete denture, ala-tragus line in (van Niekerk), 67
practical considerations for using face-bow for (Zuckerman), 219
psychologic consideration in: Depression (Chamberlain and Chamberlain), 673
considerations in management of surgically compromised cleft palate patients (McKinstry and Aramany), 827
finger rests in (Kastner) (Tips), 290
fixed, bonding properties and dimensional stability of hydrocolloid impression systems in (Dahl et al), 796
curriculum survey, Part IV: Prosthodontic laboratory and curriculum survey (Taylor et al), 267
instrumentation for solving abutment parallelism problems in (Gold), 172
patients, changes of attitude in (Conny et al), 451
laboratory and curriculum survey. Part IV: Fixed prosthodontic curriculum survey (Taylor et al), 267
rehabilitation of glossectomy patient, speech considerations in (McKinstry et al), 384
successful integration of fixed and removable (Seals and Schwartz), 763
treatment and retreatment of 845 servicemen (Meeuwissen and Eschen), 425
Protectors, mouth, materials for (Bishop et al), 256
Proximal gingival overhangs, preventing, in newly condensed amalgams (Marshall et al) (Tips), 288
tooth movement effected by wedging, quantitative evaluation of: Pilot study (Hellie et al), 335

Psychologic consideration in complete denture prosthodontics: Depression (Chamberlain and Chamberlain), 673
Pulpal response and dentin permeability to EDTA (Lindemann et al), 341
Putty materials for stable removable partial denture record bases (Mitchener and Omori), 435

R

Radiographs, temporomandibular joint, evaluation of condylar position from (Aquilino et al), 88
Radiographic evaluation, retrospective, of 100 temporomandibular joint patients (Goldman and Taylor), 566
panoramic, examination of edentulous patients (Jones et al), 535
Radiation carriers, intraoral, use of afterloading technique for (Minsley and Rothenberg), 676
Ramps, balancing, in nonanatomic complete denture occlusion (Nimmo and Kratochvil), 431
Reaction, tissue, to implanted biomaterials (Akagawa et al), 681
Rebasing metal-based complete mandibular dentures (Sherman and Komorech), 130
Record(s) bases, stable removable partial denture, putty materials for (Mitchener and Omori), 435
lateral interocclusal, study of acceptability of, by Hanau H-2 articulator (Gaston et al), 252
vertical dimension: Three-dimensional phenomenon. Part I (Silverman), 420; Part II, 573
Recording occlusal contacts, permanent method of (Millstein) (Tips), 748
Recurrent caries, effect of etching and bonding on, in teeth restored with composite resin (Staninec et al), 521
Reduction, alteration of occlusal, of prepared abutment teeth subsequent to final impressions (Davidoff), 158
occlusal, for cast restorations, measurement of (Limpinsel), 838
Regional facial impressions, thermoplastic custom trays for making (Aquilino et al), 686
Registration materials, properties of interocclusal (Lassila and McCabe), 100
simultaneous qualitative and quantitative occlusal contact, photocclusion technique for (Fitzig et al), 413
Rehabilitation, prosthodontic, of glossectomy patient, speech considerations in (McKinstry et al), 384
Reinforcement, tooth, study of: Horizontal pins (Burgess), 317
Remount index, quick face-bow (Kirk) (Tips), 142
Removable and fixed prosthodontics, successful integration of (Seals and Schwartz), 763
dentures, onlay technique for (Kafandaris), 278
partial denture(s), aluminum-based temporary (Nelson et al), 877
custom-made denture teeth and denture base material for (Schulter), 271
distal extension maxillary, modified finish line in (Nelson et al), 593
etched castings as adjunct to mouth preparation for (Leupold and Faraone), 655
existing, restoring abutment teeth with cast restorations to fit (Sigaroudi), 628
reaction of anterior abutment of Kennedy Class II, to various clasp arm designs: In vitro study (Firtell et al), 77
record bases, stable, putty materials for (Mitchener and Omori), 435
rest seat adaptation, clinical evaluation of (Stern et al), 658
simplified alternative to altered-cast impression technique for (James) (Tips), 598
temporary, duplicate casts in fabrication of (Nelson and Palik), 441
Repair, crown, using cast post and core (Hall and Williams), 641
Repeat pour and time of pour of models, accuracy of four types of rubber impression materials compared with (Johnson and Craig), 484
Report of Committee on Scientific Investigation of American Academy of Restorative Dentistry (Phillips et al), 844
Resected, partially, mandibulectomy patient, mandibular positioning prosthesis for (Martin et al), 678
Resilient denture liners, autopolymerizing and heat-processed, denture flange modification for (Saunders and Estrello), 133
Resin(s), acrylic, linear distortion of (O'Toole et al), 53
activated acrylic, porosity reduction and its associated effect on diametral tensile strength of (Keller and Lautenschlager), 374
biocompatibility evaluation of, in hamsters (Thomas et al), 428
-bonded etched-metal rest seats (Lyon), 366
retainers, effect of surface treatments on bond strength of (Meiers et al), 185
particle-roughened, retainers (Hudgins et al), 471
retainers, cross-arch splinting with (Rothschild), 627
cement, crown retention and seating on natural teeth with (Brukl et al), 618
composite, effect of etching and bonding on recurrent caries in teeth restored with (Staninec et al), 521
restorations with cementum margins, microleakage of (Phair and Fuller), 361
ultraviolet light stability of (Woznaik et al), 204
use of, for restorative and orthodontic correction of anterior interdental spacing (Heymann and Hershey), 766
denture teeth, anatomic acrylic, wear of (Khan et al), 550
light-activated composite, as adjunct to fabrication of fixed partial denture prosthesis (Goldstein), 161
new, modified, unfilled, shear test evaluation of (Doukoudakis et al), 586
pour, technique and compression molding, laboratory study of changes in vertical dimension using (Dukes et al), 667
-retained prostheses, combined die-investment stone and die-stone cast for making (Kanoy and Strayhorn), 285
retention by immersion-etched alloy (Love and Breitman), 623
stain, revitalizing defaced maxillary plastic denture teeth with (Martin et al), 434
unfilled, restoration of Class IV and VI defects in anterior teeth with (Armstrong), 9
visible light-cured composite, interface seal of incremental placement of (Podshadley et al), 625
Resistance, abrasion, of three types of esthetic veneering materials (Staffanou et al), 309
fracture, of human teeth with mesial-occlusal-distal cavities prepared with sharp and round internal line forms (Eakle and Braly), 646
Resorption, mandibular alveolar bone: Vertical assessment (Friedman et al), 722
Rest seat(s), removable partial denture, adaptation, clinical evaluation of (Stern et al), 658
resin-bonded etched metal (Lyon), 366
Restoration(s), cast, measurement of occlusal reduction for (Limpinsel), 838
restoring abutment teeth with, to fit existing removable partial dentures (Sigaroudi), 628
composite resin, of diastemas, custom-matrix technique for (Chen et al), 6
with cementum margins, microleakage of (Phair and Fuller), 361
conventional and high-copper amalgam, microleakage of (Gottleib et al), 355
of Class IV and VI defects in anterior teeth with unfilled resin (Armstrong), 9
missing or misplaced canines (Bower and Reinhart), 772
pin-retained reinforced zinc oxide–eugenol temporary (Porter and Re) (Tips), 141
post-core, technique to facilitate handling of (Fedder) (Tips), 289
quality, effect of, on periodontal health (Grasso et al), 14
Restorative and orthodontic correction of anterior interdental spacing, use of composite resin for (Heymann and Hershey), 766
Dentistry, report of Committee on Scientific Investigation of American Academy of (Phillips et al), 844
role of dental floss in (Samant et al), 597
Restoring abutment teeth with cast restorations to fit existing removable partial dentures (Sigaroudi), 628
Retainers, etched-metal resin-bonded, effect of surface treatments on bond strength of (Meiers et al), 185
particle-roughened resin bonded (Hudgins et al), 471

Retainers—cont'd
resin-bonded, cross-arch splinting with (Rothschild), 627
Retention, crown, and seating on natural teeth with resin cement (Brukl et al), 618
fabrication of hollow extraoral prostheses to enhance (Rouse and Chalian), 557
resin, by immersion-etched alloy (Love and Breitman), 623
Retentive pins, self-threading, photoelastic analysis of stress induced from insertion of (Irvin et al), 311
properties of new post and core system (Deutsch et al), 12
Retraction cords, gingival, review and survey of medicaments used with (Donovan et al), 525
methods, bur and electrosurgical, biometric comparison of (DeVitre et al), 179
Ridge augmentation, alveolar, and bone induction, potential use for: New hydroxyapatite ceramic materials (Griffiths), 109
Ringless, two-step, investment technique, effect of, on alloy castability (Dern et al), 874
Room temperature vulcanizing silicone modified and unmodified, comparison of physical properties of (Kouyoumdjian et al), 388
Root canal, efficient calcium hydroxide placement within (Kleier et al), 509
fracture and design of prefabricated posts (Deutsch et al), 637
during insertion of prefabricated posts related to root size (Deutsch et al), 785
resistance to, of dowel channels with various thicknesses of buccal dentin walls (Tjan and Whang), 496
size, root fracture during insertion of prefabricated posts related to (Deutsch et al), 785
Rubber dam in place, moisture evacuation with (Lambert) (Tips), 749
lubricant, topical anesthetic gel as (Sposetti) (Tips), 291
impression materials, accuracy of four types of, compared with time of pour and repeat pour of models (Johnson and Craig), 484
Rugae, reproduction of, on maxillary denture palate (Garfunkel) (Tips), 747

S

Scanning electron microscope study: Fit of three porcelain-fused-to-metal marginal designs in vivo (Belser et al), 24
Schools, dental, in United States, complete denture curriculum survey of (Jaggers et al), 736
methods taught in, for determining posterior palatal seal region (Chen et al), 380
Scientific Investigation, report of Committee on, of American Academy of Restorative Dentistry (Phillips et al), 844
Seal, interface, of incremental placement of visible light–cured composite resins (Podshadley et al), 625
region, posterior palatal, methods taught in dental schools for determing (Chen et al), 380
Seat(s) adaptation, removable partial denture rest, clinical evaluation of (Stern et al), 658
rest, resin-bonded etched metal (Lyon), 366
Seating and crown retention on natural teeth with resin cement (Brukl et al), 618
of full crowns with various marginal configurations, internal escape channel to improve: Follow-up study (Tjan et al), 759
Self-threading retentive pins, photoelastic analysis of stress induced from insertion of (Irvin et al), 311
Setting posterior denture teeth, aid to (Nimmo) (Tips), 748
Shear bond strengths and surface preparation of casting-cement interface (Button et al), 34
relative, of luting media with various core materials (Dilts et al), 505
test evaluation of new, modified, unfilled resin (Doukoudakis et al), 586
Shape, palatal, and flexural strength of maxillary denture bases (Morris et al), 670
Sharp and round internal line forms, fracture resistance of human teeth with mesial-occlusal-distal cavities prepared with (Eakle and Braly), 646
Silicone, room temperature vulcanizing, modified and unmodified, comparison of physical properties of (Kouyoumdjian et al), 388
Silver-base fixed partial denture alloys, castability of (Kaminski et al), 329
-palladium and nickel-chromium alloys, bond strength of cements to (Chan et al), 353
Sinusitis, maxillary, as differential diagnosis in temporomandibular joint pain–dysfunction syndrome (Rihani), 97
Solders, nonnoble dental alloy, comparative tensile strengths of (Kaylakie and Brukl), 455
Soldered joints, tensile strength of (O'Toole et al), 350
Spacing, anterior interdental, use of composite resin for restorative and orthodontic correction of (Heymann and Hershey), 766
die, and occlusal venting, comparison of internal escape channels with (Tjan and Sarkissian), 613
Spare complete denture, trial-packed, heat-processed (McArthur and James), 741
Spatula, vibrating, for plaster (Pontual) (Tips), 144
Spectrophotometric and Chromascan color measurements of 100 natural teeth, comparison of (Goodkind et al), 105
study of relationship between body porcelain color and applied metallic oxide pigments (Lund et al), 790
Speech adaptation: Aerodynamic study of adults with childhood history of articulaton defeats (Hamlet), 553
considerations in prosthodontic rehabilitation of glossectomy patient (McKinstry et al), 384
Splint therapy, arthrographically assisted (Tallents et al), 235
in treatment of TMJ disk displacement, evaluation of (Tallents et al), 836
Splinting, cross-arch, with resin-bonded retainers (Rothschild), 627
Stability, dimensional, and bonding properties of hydrocolloid impression systems in fixed prosthodontics (Dahl et al), 796
of gingival crest after surgery and before anterior crown placement (Wise), 20
Stable removable partial denture record bases, putty materials for (Mitchener and Omori), 435
Stain, resin, revitalizing defaced maxillary plastic denture teeth with (Martin et al), 434
Staple bone implant, technique for fabrication of mandibular denture over, using permanent heat-cured base (Goll and Smith), 820
implant, mandibular, nonvertical loaded minimal stress attachment with (Hadeed and Pipko), 824
Stomatitis, denture, prevalence and persistence of different strains of Candida albicans in treatment of (Watkinson et al), 365
transmission electron microscopy of plaque accumulations in (Frank and Steuer), 115
Stone, artificial, microwave oven drying of (Luebke and Schneider), 261
cast(s)-die and die-investment stone, combined, for making resin-retained prostheses (Kanoy and Strayhorn), 285
produced by perforated trays and nonperforated trays, accuracy of (Woodward et al), 347
Stereophotography, measuring wear of artificial teeth with: Part I (Ogle and Ortman), 807
Sterilization of amalgam-contaminated instruments, mercury vapor produced during (Cooley et al), 304
Strain(s), different, of Candida albicans in treatment of denture stomatitis, prevalence and persistence of (Watkinson et al), 365
gauges, internal setting expansion of dental casting investment measured with (Meiser et al), 870
Strength(s), bond, comparison of, using one-step and two-step alloy etching techniques (McLaughlin and Masek), 516
of cements to nickel-chromium and silver-palladium alloys (Chan et al), 353
etched-metal resin-bonded retainers, effect of surface treatments on (Meiers et al), 185
comparative tensile, of nonnoble dental alloy solders (Kaylakie and Brukl), 455
compressive, study of all-ceramic crown (Josephson et al), 301
diametral tensile, of activated acrylic resins, porosity reduction and its associated effect on (Keller and Lautenschlager), 374

Strength(s)—cont'd
flexural, and palatal shape of maxillary denture bases (Morris et al), 670
relative shear bond, of luting media with various core materials (Dilts et al), 505
shear bond, and surface preparation of casting-cement interface (Button et al), 34
tensile bond, of glass-ionomer cement (Lacefield et al), 194
of presoldered and postsoldered joints (Nicholls and Lemm), 476
soldered joints (O'Toole et al), 350
Stress attachment, nonvertical loaded minimal, with mandibular staple implant (Hadeed and Pipko), 824
induced from insertion of self-threading retentive pins, photoelastic analysis of (Irvin et al), 311
Students, dental, system for developing and evaluating clinical judgment of (McDonald and Larsen), 265
Subpontic osseous proliferation (Burkes et al), 780
Surface preparation and shear bond strength of casting-cement interface (Button et al), 34
Surgery, stability of gingival crest after, and before anterior crown placement (Wise), 20
Surgical obturator, quick technique for construction of (Disantis), 128
Surgically compromised cleft palate patients, prosthodontic considerations in management of (McKinstry and Aramany), 827
Syndrome, temporomandibular joint pain–dysfunction, maxillary sinusitis as differential diagnosis in (Rihani), 97
Syringe-tip diameter, relationship of, to voids in elastomer impressions (Stackhouse), 812

T

Temporary crowns, technique for plastic margins on (DeNamur)(Tips), 883
removable partial dentures, aluminum-based (Nelson et al), 877
duplicate casts in fabrication of (Nelson and Palik), 441
restorations, pin-retained reinforced zinc oxide–eugenol (Porter and Re)(Tips), 141
Temporomandibular joint(s) clicking in early childhood, collagen biosynthesis related to (Gage), 714
comparative study of two treatment methods for internal derangement of (Anderson et al), 392
development of anterior disk displacement in: Autopsy study (Hellsing and Holmlund), 397
of aged individuals, histopathologic findings in (Castelli et al), 415
pain–dysfunction syndrome, maxillary sinusitis as differential diagnosis in (Rihani), 97
patients, retrospective radiographic evaluation of 100 (Goldman and Taylor), 566
radiographs, evaluation of condylar position from (Aquilino et al), 88
Tensile bond strength of glass-ionomer cement (Lacefield et al), 194
strength(s), comparative, of nonnoble dental alloy solders (Kaylakie and Brukl), 455
diametral, of activated acrylic resins, porosity reduction and its associated effect on (Keller and Lautenschlager), 374
of presoldered and postsoldered joints (Nicholls and Lemm), 476
soldered joints (O'Toole et al), 350
Therapy, arthrographically assisted splint, in treatment of TMJ disk displacement, evaluation of (Tallents et al), 836
Thermocycling techniques, comparison of four (Crim et al), 50
Thermoplastic custom trays for making regional facial impressions (Aquilino et al), 686
Threaded, prefabricated, posts, torque placed by dentists on (Deutsch et al), 323
Threading-self retentive pins, photoelastic analysis of stress induced from insertion of (Irvin et al), 311
Three-dimensional analysis of cusp travel during nonworking mandibular movement (Schulte et al), 839
Time of pour and repeat pour of models, accuracy of four types of rubber impression materials compared with (Johnson and Craig), 484
Tissue reaction to implanted biomaterials (Akagawa et al), 681
TMJ disk displacement, evaluation of arthrographically assisted splint therapy in treatment of (Tallents et al), 836
Tomographic study of mandibular condyle position in asymptomatic population (Pullinger et al), 706
Tooth (teeth), anatomic acrylic resin denture, wear of (Khan et al), 550
artificial, measuring wear of, with stereophotography: Part I (Ogle and Ortman), 807
contacts, nocturnal, during bruxing, duration of (Kydd and Daly), 717
crown retention and seating on, with resin cement (Brukl and Norling), 618
endodontically treated, as abutments (Sorensen and Martinoff), 631
human, with mesial-occlusal-distal cavities prepared with sharp and round internal line forms, fracture resistance of (Eakle and Braly), 646
immediate overdenture, method to prepare, accurately (Kahn)(Tips), 290
loss, future, prosthetic contingencies for (Kaldahl and Becker), 1
preliminary study of mandibular shape after (Lavelle), 726
mandibular anterior, are present, determining approximate size of maxillary anterior artificial teeth when. Part I: Size relationship (McArthur), 216; Part II: Mold selection, 369; Part III, Relationship of maxillary to mandibular central incisor widths, 540
maxillary anterior artificial, determining approximate size of, when mandibular anterior teeth are present. Part I: Size relationship (McArthur), 216; Part II: Mold selection, 369; Part III, Relationship of maxillary to mandibular central incisor widths, 540
movement, proximal, effected by wedging, quantitive evaluation of: Pilot study (Hellie et al), 335
natural, bruxism and its effect on (Pavone), 692
posterior denture, aid to setting (Nimmo)(Tips), 748
preparation guide for embrasure clasp designs (von Gonten and Palik), 281
prepared abutment, alteration of occlusal reduction of, subsequent to final impressions (Davidoff), 158
reinforcement, study of: Horizontal pins (Burgess), 317
restoration of Class IV and VI defects in anterior, with unfilled resin (Armstrong), 9
restored with composite resin, effect of etching and bonding on recurrent caries in (Staninec et al), 521
restoring abutment, with cast restorations to fit existing removable partial dentures (Sigaroudi), 628
revitalizing defaced maxillary plastic denture, with resin stain (Martin et al), 434
Topical fluoride preparations, effects of, on glazed porcelain surfaces (Jones), 483
Torque placed by dentists on prefabricated threaded posts (Deutsch et al), 323
Tracheotomy tube, modification of (Freidline and Petti)(Tips), 292
Tragus-ala line in complete denture prosthodontics (van Niekerk et al), 67
Transmission electron microscopy of plaque accumulations in denture stomatitis (Frank and Steuer), 115
Trays, custom, technique for fabricating (Christensen)(Tips), 291
final impression, from existing dentures (Kirk and Holt)(Tips), 443
nonperforated, and perforated trays, accuracy of stone casts produced by (Woodward et al), 347
perforated, and nonperforated trays, accuracy of stone casts produced by (Woodward et al), 347
thermoplastic custom, for making regional facial impressions (Aquilino et al), 686
Trial-packed, heat-processed spare complete denture (McArthur and James), 741
Trimming esthetically appealing diagnostic casts, simplified guide to (Carlin and Oertling), 882
Tube, tracheotomy, modification of (Freidline and Petti)(Tips), 292
Tuberosities, elongated maxillary, metal denture inserts in treatment of (Nimmo), 880

Two-step ringless investment technique, effect of, on alloy castability (Dern et al), 874

U

Ultraviolet light stability of composite resins (Wozniak et al), 204
Unfilled, modified, new, resin, shear test evaluation of (Doukoudakis et al), 586
Unmodified and modified, room temperature vulcanizing silicone, comparison of physical properties of (Kouyoumdjian et al), 388
Unrestored enamel, varnish to prevent etching (Hachiya et al), 46

V

Vapor levels, acetic acid, associated with facial prosthetics (McElroy et al), 86
Varnish(es) and bases, cavity, effects of: Dentin permeability (Pashley et al), 511
cavity, and cavity liner appearance on enamel and dentin (Tveit et al), 199
to prevent etching unrestored enamel (Hachiya et al), 46
Veneer, esthetic, crowns, margin placement of. Part IV: Postoperative patient attitudes (Crispin et al), 165
porcelain, crowns, atraumatic removal of, after interim cementation (Chiche and Mikhail), 164
Veneering materials, esthetic, abrasion resistance of three types of (Staffanou et al), 309
Venting, occlusal, and die spacing, comparison of internal escape channels with (Tjan and Sarkissian), 613
Vertical dimension, influence of, on masseter muscle electromyographic activity in patients with mandibular dysfunction (Manns et al), 243
laboratory study of changes in, using compression molding and pour resin technique (Dukes et al), 667
record: Three-dimensional phenomenon. Part I (Silverman), 420; Part II, 573
Visible light-cured composite resins, interface seal of incremental placement of (Podshadley et al), 625
Voids in elastomer impressions, relationship of syringe-tip diameter to (Stackhouse), 812
Vulcanizing silicone, room temperature, modified and unmodified, comparison of physical properties of (Kouyoumdjian et al), 388

W

Walls, buccal dentin, resistance to root fracture of dowel channels with various thicknesses of (Tjan and Whang), 496
Wax base development for complete denture impressions (Applebaum and Rivetti), 663
patterns, crown, effect of manipulative variables on (Grajower and Lewinstein), 168
fit of, after removal from die (Zeltser et al), 344
occlusal indicator, evaluation of (Millstein), 570
Waxed functional occlusal patterns in fired ceramics, reproduction of (Abarno and Kreiner), 247
Wear of artificial teeth, measuring, with stereophotography: Part I (Ogle and Ortman), 807
Wedging, quantitative evaluation of proximal tooth movement effected by: Pilot study (Hellie et al), 335
Wettability studies, enamel, Part III: Optimal concentration of phosphoric acid as etching agent (Retief et al), 42
Working-side, altered, occlusal guidance, influence of, on masticatory muscles and related jaw movement (Belser and Hannam), 406

X

Xylene exposure, effective measures to reduce (Engelmeier), 564

Z

Zinc oxide-eugenol temporary restorations, pin-retained reinforced (Porter and Re)(Tips), 141